





ES6-· \$\$.@]bY  
=bZbh=bW VUcfg




INTENSIVE CARES





# ESB-300S

## Infant Incubator

- Microprocessor based servo controlled temperature system
- Control modes: Air mode and baby skin mode
- Humidity control system, oxygen concentration display system  
Set temperature, air temperature, baby skin temperature, humidity, oxygen concentration , timer and heating power are displayed separately by LED
- Self- testing function, various failure alarms by audible and visual
- >37°C temperature set function
- Embedded integrated sensor module
- Triple protection for over temperature with separate cut off device, more safety system
- The inclination of infant bed is adjustable
- Double wall hood, 4 operating windows and 2 iris ports
- Independent locking device for front door
- RS232 connector, Oxygen inlet
- Optional function:
  - X-ray cassette Tray
  - Baby weight system
  - Electric height adjustable
  - LED phototherapy unit
  - Air and oxygen blender



Cod. ESB-300S



Optional LED phototherapy unit




Optional Air and oxygen blender



# EG6!' SSH



## Infant Incubator

- Microprocessor based servo controlled temperature system
- Control modes: Air mode and baby skin mode
- Humidity control and oxygen concentration control system
- Set temperature, air temperature, baby skin temperature, humidity, oxygen concentration, timer and heating power are displayed separately by LED
- Self- testing function, various failure alarms by audible and visual
- >37°C temperature set function
- Embedded integrated sensor module
- Triple protection for over temperature with separate cut off device, more safety system
- The inclination of infant bed is adjustable
- Double wall hood, 4 operating windows and 2 iris ports
- Independent locking device for front door
- RS232 connector, Oxygen inlet
- Optional function:
  - X-ray cassette Tray
  - baby weight system
  - Electric height adjustable
  - LED phototherapy unit
  - Air and oxygen blender



Air Circulation System

Cod. ESB-300T



Optional LED phototherapy unit




Optional Air and oxygen blender



# ESB-300@


## Infant Incubator

- Microprocessor based servo controlled temperature system
- Color touch screen with skin temperature graph trends
- Control modes: Air mode and baby skin mode
- Humidity control and oxygen concentration control system
- Baby weight system, two skin sensor for measurement of central and peripheral temperature
- Set temperature, air temperature, baby skin temperature, humidity, oxygen concentration, SPO<sub>2</sub>, baby weight, timer and heating power are displayed separately by LCD
- Self-testing function, various failure alarms by audible and visual
- >37°C temperature set function
- Embedded integrated sensor module
- Triple protection for over temperature with separate cut off device, more safety system
- The inclination of infant bed is adjustable
- Double wall hood, 4 operating windows and 2 iris ports
- Independent locking device for front door
- RS232 connector, Oxygen inlet
- X ray cassette Tray; Electric height adjustable ; SPO<sub>2</sub>, CCD camera
- Optional function:
  - LED phototherapy unit
  - Air and oxygen blender



Air Circulation System

Cod. ESB-300L



Optional LED phototherapy unit



Optional Air and oxygen blender



ESSE3 srl, Via Garibaldi 30  
14022 Castelnuovo D.B. (AT)  
Tel +39 011 99 27 706  
Fax +39 011 99 27 506  
e-mail [esse3@chierinet.it](mailto:esse3@chierinet.it)  
web: [www.esse3-medical.com](http://www.esse3-medical.com)

