



# SW-800

Portable auto refractometer



OPHTHALMOLOGY / ENT



# SW-800

## Portable auto refractometer

### Technical specification



Operation mode: Bino/Mono  
 Optometry: Automatic  
 DS: Range -7.50D~+7.50D, Resolution 0.25D/0.01D  
 Accuracy  $\pm 0.50D$   
 DC: Range 0.00D~3.00D, Resolution 0.25D/0.01D  
 Accuracy  $\pm 0.50D$   
 Axis: Range  $1^\circ \sim 180^\circ$  Resolution  $1^\circ$  Accuracy  $\pm 5^\circ$   
 Pupi size: Range 4.0mm ~ 9.0mm  
 Resolution: 0.1mm accuracy  $\pm 0.1$ mm  
 Pupil distance: Range 35mm ~ 80mm resolution 1mm  
 Accuracy  $\pm 1$ mm  
 Gaze:  $0^\circ \sim 20^\circ$   
 Measuring distance: 1m  $\pm 5$ cm  
 Time per measurement:  $\sim 1$ s  
 Fixation target: Light flash, attractive sound  
 Data interface: Wi-Fi, USB  
 Printer interface: USB  
 Battery: Rechargeable lithium batteries, 6 hours of duration, replaceable  
 Size: 180x130x110 mm  
 Display : 5 inch touch screen  
 Weight: 0.8Kg  
 Optional accessories: Camera tripods, printer etc

### Optometry      Screening

- |                                             |   |                                      |   |
|---------------------------------------------|---|--------------------------------------|---|
| Binocular                                   | ● | Myopia                               | ● |
| Detection                                   | ● | Hyperopia                            | ● |
| DS                                          | ● | Astigmatism                          | ● |
| DC                                          | ● | Strabismus                           | ● |
| Axis angle                                  | ● | Pupil size vary                      | ● |
| Pupil size                                  | ● | Anisometropia                        | ● |
| Interpupillary distance                     | ● | Asymmetric fixation                  | ● |
| Direction of fixation                       | ● | The abnormal reflection of the light | ● |
| Record the abnormal reflection of the light | ● |                                      |   |



### Features



WIFI transmission  
print report



**ESSE3** srl, Via Garibaldi 30  
 14022 Castelnuovo D.B. (AT)  
 Tel +39 011 99 27 706  
 Fax +39 011 99 27 506  
 e-mail [esse3@chierinet.it](mailto:esse3@chierinet.it)  
 web: [www.esse3-medical.com](http://www.esse3-medical.com)

