



Sterilization Container Systems

Surgical Trays & Wire Baskets

Product Catalog


CT20-0324



Cleaning & Disinfection

Place the containers to the WD* in an open position and separated from their components

Prefer low alkaline cleaning agents, optimally neutral (7-10.5 pH) which is compatible with anodized aluminum and plastics



Perform the final rinsing with demineralized water

* Validated washer-disinfector according to EN ISO 15883

Sterilization

3x Pre-Vacuum Steam Sterilization



134°C



5 min



20 min

Ensure the proper loading weight* to prevent excess condensation, and leave space between packed items and the container filter

Reduce plastic packaging for less residual moisture

Position the heavy containers at the bottom



Stack the containers up to a max. height of 45 cm to ensure effective air release and steam** penetration



After the process, allow the containers to cool down to room temperature

Test the dryness and verify the thermal measurements***

* According to EN 868:8

** 100% saturated steam quality

*** According to EN ISO 17665



soft packaging?

Blue wrapping is a risky method due to its disadvantages, especially hole permeability which may compromise sterility. Even double wrapping fails to reduce the risk of contamination and instead raises costs and waste generation.



Sterilization containers present a sustainable alternative to traditional single-use (blue) wraps in healthcare settings. Research shows that they significantly reduce carbon emissions, producing less polypropylene woven plastic waste compared to blue wraps.

From an eco-cost perspective, these containers have a lower environmental impact, promoting a more sustainable approach to sterilization. Beyond the environmental benefits, sterilization containers improve infection control by eliminating the contamination risks due to soft packaging. In essence, sterilization containers are an optimal choice for healthcare facilities aiming to adopt a sustainable and efficient sterilization method.

Sustainable Reprocessing



Cost Effective



Low Waste



Less Carbon Footprint

Care & Maintenance

Replace silicone gaskets after 500 cycles.

Apply lubricant to metal sliding surfaces, moving parts, and joints.

Inspect gaskets for cracks and tears.

Check the seal in the retaining groove before each use; apply a leak test if required

Storage

Temperature: 15-26°C
Humidity: 30 – 50%
Air Pressure: 500-1060 hPa

The containers maintain sterility for 12 months under appropriate storage conditions*

* Tested in accordance with EN ISO 11607-1



**sterile
up to
12 month**



Sterilization Expert



● Safety Lid



● Lid

Lock ●



● Filter



● Container Base

Front Panel ●



Enhanced Coating Better Protection

Anodization not only makes the aluminum corrosion-resistant and durable but also optimizes its thermal conductivity, ensuring that heat is evenly distributed during sterilization cycles which accelerates the evaporation of moisture, ensuring that the instruments and contents inside the container are thoroughly dried.

Surface Detail

Smoother surfaces enhance the contact between the aluminum and the surrounding environment, improving heat transfer. This is particularly important during the sterilization and drying phases, where efficient heat transfer is essential.

Protection Against Corrosion

This protection ensures that the oxide layer remains intact, preserving the improved thermal conductivity over time. It also prevents the formation of corrosion by-products that could hinder heat transfer.

Rigidity

Robust construction with 2 mm sheet thickness.





Type and Size Variations

Bahadır Sterilization Containers are manufactured in a range of sizes, offering specific solutions to meet the requirements of healthcare professionals.

Designed with user-friendly features that improve convenience in packaging and storage processes, optimizing workflow efficiency for CSSD.



Standard Height Sizes

———— (mm)

100

130

150

200

260

There are 5 different height options available in standard container types

Specific Needs Particular Solutions

Bahadır Sterilization Containers are typically available in three standard sizes: full (1/1), medium (3/4), and half (1/2) which meet flexibility and compatibility with a wide range of surgical instrument sets and medical equipment. Additionally, to meet specific needs, we offer various types of containers, providing particular solutions.





Maintain Integrity With Safety Lids

The safety lids offered by Bahadır Container Systems serve multiple functions, providing impact protection and safeguarding against contamination during both storage and transport. These features are essential for maintaining the integrity of the filters while not compromising air circulation.

Bahadır Container Systems offers two distinct types of safety lids, one of which is designed for easy disassembly and reassembly. The lock button, conveniently located on the top of the lid, facilitates effortless handling.



Lock Button






Only available for
W and S series with
disposable filters

Optimal Choices

Bahadır Sterilization Containers are versatile and suitable for a variety of sterilization needs. Users can choose between a perforated lid with a non-perforated base for pre-vacuum and post-vacuum cycles or a perforated base for gravity cycles.



Sterilization Methods

Container Types	Pre-Vacuum	Gravity	Fractional Vacuum	Fractional Flow	Steam Injection
 Perforated Perforated	✓	✓	✓	✓	✓
 Perforated Non-perforated	✓	—	✓	✓	✓
 Non-perforated Perforated	✓	—	✓	✓	✓
 Barrier Systems	✓	—	✓	✓	✓
 Non-perforated Non-perforated	—	—	—	—	—

According to DIN EN 868-8



Space Saving

Bahadır Sterilization Containers can be efficiently used in environments with limited space due to their stackable feature. The bases and lids of the containers are designed to be compatible with each other, allowing them to be stacked on top of one another. This feature enables users to maximize storage and transportation space.

The stackability feature ensures that the containers can be stored in an orderly and organized manner, enabling users to utilize their space more efficiently.



Disposable Filters

The filter holders, which are securely fastened to the lid with a quick click, provide a leakproof seal with a perimeter gasket and ensure the secure placement of the filter. Users can choose between single-use paper filters or 1200-cycle reusable PTFE filters to prevent the entry of microorganisms during the sterilization process. This allows our products to offer maximum protection. Our filter holders are made of high-quality stainless steel, and a silicone seal on the filter holder ensures a secure and leakproof seal.

Silicone Gasket

Easily removable for self maintenance



Type I

Single-use paper filter

Type II

PTFE filters up to 1500 cycles



Effortlessly Practical: Reusable Barrier Systems

Bahadır Reusable Barrier Systems offer a cost-effective and eco-friendly solution compared to disposable filters, especially for long-term applications.

These systems feature innovative engineering that enables multiple uses without frequent filter replacements and supplies, making them a cost-effective choice for healthcare facilities with continuous operational demands. Moreover, they have the advantage of allowing users to carry out their operations with minimal effort.



The Key Features

- Durable high-quality materials, ensuring longevity and resistance to wear and tear.
- Ease of sterilization and cleaning, essential for maintaining aseptic conditions
- Significantly reducing waste generation for more sustainable and eco-friendly processes.

What is the Bio-Barrier?

The Bahadır Bio-Barrier filter, inspired by Pasteur's swan-neck flask concept, is designed to effectively capture and contain microorganisms. One of its key advantages is its long lifespan, as it doesn't require frequent filter replacements, making it a cost-effective and user-friendly solution.



The specific design of the system creates varying airflow velocities, effectively causing the separation of airflow and microorganisms. This barrier effectively prevents microbes from passing through, ensuring that only clean and filtered air enters the container. Simultaneously, it contains the microorganisms within low-flow areas of the labyrinth, maintaining a controlled and sterile environment inside the container.

Valve System

The Bahadır Valve System features aluminum plates positioned between the upper and lower parts of the barrier. During a sterilization cycle, which involve both negative and positive pressure conditions, the upper small aluminum plate in the system serves as a check valve. This mechanism regulates the flow of steam in and out of the container. When there is no external force, such as vacuum or steam, acting on the flow control valve, the entire system remains sealed.



Label Holder

The label holder is an ideal option for customizing our sterilization containers. It can be easily attached to your products, securely holding labels in place for accurate identification and quick access.



Indicator

Indicator is an important component of the sterilization process in terms of validation and safety. It demonstrates the successful completion of sterilization through color change. Due to the specially designed placement area on the front panel of the container, the indicator can be easily positioned and is easily visible to users.



Ergonomic Locking System

The ergonomic locking system in our products is made of high-quality stainless steel, offering maximum convenience, security, and durability. It enables quick and secure locking and unlocking of containers, due to its easy-to-grasp grip surface. With its stainless steel construction, the system exhibits resistance to wear, easy cleaning, and reliable performance in sterile environments.

Security Seals and Sterility

Security seals ensure the protection of sterile containers against contamination and indicate the sterility of the contents. These seals are used to secure the container and prevent unauthorized access. When the seal is broken, it visually indicates that the container may have been compromised, thereby preventing contamination risks.



Security Seal



Security Seal
(Service)



Security seals are offered in two color options, blue and red.

High-Temperature Resistant

Security seals are resistant to negative/positive steam pressure at 134°C, ensuring the prevention of contamination during transportation and storage after sterilization while maintaining container integrity.



Colorful Options With M Series

The front panels of the M Series are creatively designed to provide users with a variety of color options, enabling the organized and easy management of the sterilization process.

Colors



The M Series offers seven different color choices



Easily Identify With Lids

The W, S, and A Series feature color-coded lids, offering a quick and suitable method for categorization by color, which is easy to identify.

Colors



The W / S / A Series offers six different color choices





M SERIES CONTAINER SYSTEMS

Full Size (1/1)

26-27

Middle Size (3/4)

28-29

Half Size (1/2)

30-31

XXL Size

32-33



Lid & Base Closed



Lid Closed / Base Perforated



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
●	Y112.10M	Y112.13M	Y112.15M	Y112.20M	Y112.26M
●	Y122.10M	Y122.13M	Y122.15M	Y122.20M	Y122.26M
●	Y132.10M	Y132.13M	Y132.15M	Y132.20M	Y132.26M
●	Y142.10M	Y142.13M	Y142.15M	Y142.20M	Y142.26M
●	Y152.10M	Y152.13M	Y152.15M	Y152.20M	Y152.26M
●	Y162.10M	Y162.13M	Y162.15M	Y162.20M	Y162.26M
●	Y172.10M	Y172.13M	Y172.15M	Y172.20M	Y172.26M



	585x280x105 550x260x75	585x280x135 550x260x105	585x280x155 550x260x125	585x280x205 550x260x175	585x280x265 550x260x235
●	Y113.10M	Y113.13M	Y113.15M	Y113.20M	Y113.26M
●	Y123.10M	Y123.13M	Y123.15M	Y123.20M	Y123.26M
●	Y133.10M	Y133.13M	Y133.15M	Y133.20M	Y133.26M
●	Y143.10M	Y143.13M	Y143.15M	Y143.20M	Y143.26M
●	Y153.10M	Y153.13M	Y153.15M	Y153.20M	Y153.26M
●	Y163.10M	Y163.13M	Y163.15M	Y163.20M	Y163.26M
●	Y173.10M	Y173.13M	Y173.15M	Y173.20M	Y173.26M



M SERIES

Full Size (1/1)

Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

	585x280x90 550x260x85	585x280x120 550x260x115	585x280x140 550x260x135	585x280x190 550x260x185	585x280x250 550x260x245
● Y105.10M1	Y105.13M1	Y105.15M1	Y105.20M1	Y105.26M1	
● Y105.10M2	Y105.13M2	Y105.15M2	Y105.20M2	Y105.26M2	
● Y105.10M3	Y105.13M3	Y105.15M3	Y105.20M3	Y105.26M3	
● Y105.10M4	Y105.13M4	Y105.15M4	Y105.20M4	Y105.26M4	
● Y105.10M5	Y105.13M5	Y105.15M5	Y105.20M5	Y105.26M5	
● Y105.10M6	Y105.13M6	Y105.15M6	Y105.20M6	Y105.26M6	
● Y105.10M7	Y105.13M7	Y105.15M7	Y105.20M7	Y105.26M7	



Base
Perforated *

	585x280x90 550x260x75	585x280x120 550x260x105	585x280x140 550x260x125	585x280x190 550x260x175	585x280x250 550x260x235
● Y106.10M1	Y106.13M1	Y106.15M1	Y106.20M1	Y106.26M1	
● Y106.10M2	Y106.13M2	Y106.15M2	Y106.20M2	Y106.26M2	
● Y106.10M3	Y106.13M3	Y106.15M3	Y106.20M3	Y106.26M3	
● Y106.10M4	Y106.13M4	Y106.15M4	Y106.20M4	Y106.26M4	
● Y106.10M5	Y106.13M5	Y106.15M5	Y106.20M5	Y106.26M5	
● Y106.10M6	Y106.13M6	Y106.15M6	Y106.20M6	Y106.26M6	
● Y106.10M7	Y106.13M7	Y106.15M7	Y106.20M7	Y106.26M7	



Lid

	585x280
● Y103.07M	

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
●	Y212.10M	Y212.13M	Y212.15M	Y212.20M
●	Y222.10M	Y222.13M	Y222.15M	Y222.20M
●	Y232.10M	Y232.13M	Y232.15M	Y232.20M
●	Y242.10M	Y242.13M	Y242.15M	Y242.20M
●	Y252.10M	Y252.13M	Y252.15M	Y252.20M
●	Y262.10M	Y262.13M	Y262.15M	Y262.20M
●	Y272.10M	Y272.13M	Y272.15M	Y272.20M



Lid Closed
Base Perforated

	465x280x105 430x260x75	465x280x135 430x260x105	465x280x155 430x260x125	465x280x205 430x260x175
●	Y213.10M	Y213.13M	Y213.15M	Y213.20M
●	Y223.10M	Y223.13M	Y223.15M	Y223.20M
●	Y233.10M	Y233.13M	Y233.15M	Y233.20M
●	Y243.10M	Y243.13M	Y243.15M	Y243.20M
●	Y253.10M	Y253.13M	Y253.15M	Y253.20M
●	Y263.10M	Y263.13M	Y263.15M	Y263.20M
●	Y273.10M	Y273.13M	Y273.15M	Y273.20M



M SERIES

Middle Size (3/4)

Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

465x280x90 430x260x85	465x280x120 430x260x115	465x280x140 430x260x135	465x280x190 430x260x185
--------------------------	----------------------------	----------------------------	----------------------------

● Y205.10M1	Y205.13M1	Y205.15M1	Y205.20M1
● Y205.10M2	Y205.13M2	Y205.15M2	Y205.20M2
● Y205.10M3	Y205.13M3	Y205.15M3	Y205.20M3
● Y205.10M4	Y205.13M4	Y205.15M4	Y205.20M4
● Y205.10M5	Y205.13M5	Y205.15M5	Y205.20M5
● Y205.10M6	Y205.13M6	Y205.15M6	Y205.20M6
● Y205.10M7	Y205.13M7	Y205.15M7	Y205.20M7



Base
Perforated *

465x280x90 430x260x75	465x280x120 430x260x105	465x280x140 430x260x125	465x280x190 430x260x175
--------------------------	----------------------------	----------------------------	----------------------------

● Y206.10M1	Y206.13M1	Y206.15M1	Y206.20M1
● Y206.10M2	Y206.13M2	Y206.15M2	Y206.20M2
● Y206.10M3	Y206.13M3	Y206.15M3	Y206.20M3
● Y206.10M4	Y206.13M4	Y206.15M4	Y206.20M4
● Y206.10M5	Y206.13M5	Y206.15M5	Y206.20M5
● Y206.10M6	Y206.13M6	Y206.15M6	Y206.20M6
● Y206.10M7	Y206.13M7	Y206.15M7	Y206.20M7



Lid

465x280

● Y203.07M

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
● Y312.10M		Y312.13M	Y312.15M	Y312.20M	Y312.26M
● Y322.10M		Y322.13M	Y322.15M	Y322.20M	Y322.26M
● Y332.10M		Y332.13M	Y332.15M	Y332.20M	Y332.26M
● Y342.10M		Y342.13M	Y342.15M	Y342.20M	Y342.26M
● Y352.10M		Y352.13M	Y352.15M	Y352.20M	Y352.26M
● Y362.10M		Y362.13M	Y362.15M	Y362.20M	Y362.26M
● Y372.10M		Y372.13M	Y372.15M	Y372.20M	Y372.26M



Lid Closed
Base Perforated

	295x280x105 260x260x75	295x280x135 260x260x105	295x280x155 260x260x125	295x280x205 260x260x175	295x280x265 260x260x235
● Y313.10M		Y313.13M	Y313.15M	Y313.20M	Y313.26M
● Y323.10M		Y323.13M	Y323.15M	Y323.20M	Y323.26M
● Y333.10M		Y333.13M	Y333.15M	Y333.20M	Y333.26M
● Y343.10M		Y343.13M	Y343.15M	Y343.20M	Y343.26M
● Y353.10M		Y353.13M	Y353.15M	Y353.20M	Y353.26M
● Y363.10M		Y363.13M	Y363.15M	Y363.20M	Y363.26M
● Y373.10M		Y373.13M	Y373.15M	Y373.20M	Y373.26M

M SERIES

Half Size (1/2)



Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

	295x280x90 260x260x85	295x280x120 260x260x115	295x280x140 260x260x135	295x280x190 260x260x185	295x280x250 260x260x245
● Y305.10M1	Y305.13M1	Y305.15M1	Y305.20M1	Y305.26M1	
● Y305.10M2	Y305.13M2	Y305.15M2	Y305.20M2	Y305.26M2	
● Y305.10M3	Y305.13M3	Y305.15M3	Y305.20M3	Y305.26M3	
● Y305.10M4	Y305.13M4	Y305.15M4	Y305.20M4	Y305.26M4	
● Y305.10M5	Y305.13M5	Y305.15M5	Y305.20M5	Y305.26M5	
● Y305.10M6	Y305.13M6	Y305.15M6	Y305.20M6	Y305.26M6	
● Y305.10M7	Y305.13M7	Y305.15M7	Y305.20M7	Y305.26M7	



Base
Perforated *

	295x280x90 260x260x75	295x280x120 260x260x105	295x280x140 260x260x125	295x280x190 260x260x175	295x280x250 260x260x235
● Y306.10M1	Y306.13M1	Y306.15M1	Y306.20M1	Y306.26M1	
● Y306.10M2	Y306.13M2	Y306.15M2	Y306.20M2	Y306.26M2	
● Y306.10M3	Y306.13M3	Y306.15M3	Y306.20M3	Y306.26M3	
● Y306.10M4	Y306.13M4	Y306.15M4	Y306.20M4	Y306.26M4	
● Y306.10M5	Y306.13M5	Y306.15M5	Y306.20M5	Y306.26M5	
● Y306.10M6	Y306.13M6	Y306.15M6	Y306.20M6	Y306.26M6	
● Y306.10M7	Y306.13M7	Y306.15M7	Y306.20M7	Y306.26M7	



Lid

295x280

● Y303.07M

* Product code does not include the filters,
for visual purposes only.



Types

Outside Dimensions (mm)

770x315x190



- Y111.92M
- Y121.92M
- Y131.92M
- Y141.92M
- Y151.92M
- Y161.92M
- Y171.92M



M SERIES

XXL Size

Outside Dimensions (mm)

770x315x170



Base
Perforated *

- Y106.92M1
- Y106.92M2
- Y106.92M3
- Y106.92M4
- Y106.92M5
- Y106.92M6
- Y106.92M7



Lid

770x315

- Y100.97M

* Product code does not include the filters, for visual purposes only.



W SERIES CONTAINER SYSTEMS

Standard

36-41

Full Size (1/1), Middle Size (3/4)

Half Size (1/2)

Reusable Systems

42-47

Full Size (1/1), Middle Size (3/4)

Half Size (1/2)

Long Body

48

Wide Body

49

Removal

50-51

Full Size (1/1), Middle Size (3/4)



Lid Perforated / Base Closed



Lid Safety Lid / Base Perforated



Lid & Base Perforated



Lid Safety Lid / Base Closed



Lid & Base Closed



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
 Lid Perforated Base Closed	● Y110.10W	● Y110.13W	● Y110.15W	● Y110.20W	● Y110.26W
	● Y120.10W	● Y120.13W	● Y120.15W	● Y120.20W	● Y120.26W
	● Y130.10W	● Y130.13W	● Y130.15W	● Y130.20W	● Y130.26W
	● Y140.10W	● Y140.13W	● Y140.15W	● Y140.20W	● Y140.26W
	● Y150.10W	● Y150.13W	● Y150.15W	● Y150.20W	● Y150.26W
	● Y160.10W	● Y160.13W	● Y160.15W	● Y160.20W	● Y160.26W
 Lid Safety Lid Base Closed	● Y112.10W	● Y112.13W	● Y112.15W	● Y112.20W	● Y112.26W
	● Y122.10W	● Y122.13W	● Y122.15W	● Y122.20W	● Y122.26W
	● Y132.10W	● Y132.13W	● Y132.15W	● Y132.20W	● Y132.26W
	● Y142.10W	● Y142.13W	● Y142.15W	● Y142.20W	● Y142.26W
	● Y152.10W	● Y152.13W	● Y152.15W	● Y152.20W	● Y152.26W
	● Y162.10W	● Y162.13W	● Y162.15W	● Y162.20W	● Y162.26W
 Lid Perforated Base Perforated	● Y111.10W	● Y111.13W	● Y111.15W	● Y111.20W	● Y111.26W
	● Y121.10W	● Y121.13W	● Y121.15W	● Y121.20W	● Y121.26W
	● Y131.10W	● Y131.13W	● Y131.15W	● Y131.20W	● Y131.26W
	● Y141.10W	● Y141.13W	● Y141.15W	● Y141.20W	● Y141.26W
	● Y151.10W	● Y151.13W	● Y151.15W	● Y151.20W	● Y151.26W
	● Y161.10W	● Y161.13W	● Y161.15W	● Y161.20W	● Y161.26W
 Lid Safety Lid Base Perforated	● Y113.10W	● Y113.13W	● Y113.15W	● Y113.20W	● Y113.26W
	● Y123.10W	● Y123.13W	● Y123.15W	● Y123.20W	● Y123.26W
	● Y133.10W	● Y133.13W	● Y133.15W	● Y133.20W	● Y133.26W
	● Y143.10W	● Y143.13W	● Y143.15W	● Y143.20W	● Y143.26W
	● Y153.10W	● Y153.13W	● Y153.15W	● Y153.20W	● Y153.26W
	● Y163.10W	● Y163.13W	● Y163.15W	● Y163.20W	● Y163.26W



W SERIES

Full Size (1/1)

Outside - Inside Dimensions (mm)

Code




585x280x90 - 550x260x85	Y105.10W
585x280x120 - 550x260x115	Y105.13W
585x280x140 - 550x260x135	Y105.15W
585x280x190 - 550x260x185	Y105.20W
585x280x250 - 550x260x245	Y105.26W



Base
Closed

585x280 (mm)

Code

	Y100.01
	Y100.02
	Y100.03
	Y100.04
	Y100.05
	Y100.06



Lid
Perforated

Outside - Inside Dimensions (mm)

Code







585x280x90 - 550x260x75	Y106.10W
585x280x120 - 550x260x105	Y106.13W
585x280x140 - 550x260x125	Y106.15W
585x280x190 - 550x260x175	Y106.20W
585x280x250 - 550x260x235	Y106.26W



Base
Perforated *

585x280 (mm)

Code

	Y103.01B
	Y103.02B
	Y103.03B
	Y103.04B
	Y103.05B
	Y103.06B



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
 Lid Perforated Base Closed	● Y210.10W	● Y210.13W	● Y210.15W	● Y210.20W
	● Y220.10W	● Y220.13W	● Y220.15W	● Y220.20W
	● Y230.10W	● Y230.13W	● Y230.15W	● Y230.20W
	● Y240.10W	● Y240.13W	● Y240.15W	● Y240.20W
	● Y250.10W	● Y250.13W	● Y250.15W	● Y250.20W
	● Y260.10W	● Y260.13W	● Y260.15W	● Y260.20W
	 Lid Safety Lid Base Closed	● Y212.10W	● Y212.13W	● Y212.15W
● Y222.10W		● Y222.13W	● Y222.15W	● Y222.20W
● Y232.10W		● Y232.13W	● Y232.15W	● Y232.20W
● Y242.10W		● Y242.13W	● Y242.15W	● Y242.20W
● Y252.10W		● Y252.13W	● Y252.15W	● Y252.20W
● Y262.10W		● Y262.13W	● Y262.15W	● Y262.20W
 Lid Perforated Base Perforated		● Y211.10W	● Y211.13W	● Y211.15W
	● Y221.10W	● Y221.13W	● Y221.15W	● Y221.20W
	● Y231.10W	● Y231.13W	● Y231.15W	● Y231.20W
	● Y241.10W	● Y241.13W	● Y241.15W	● Y241.20W
	● Y251.10W	● Y251.13W	● Y251.15W	● Y251.20W
	● Y261.10W	● Y261.13W	● Y261.15W	● Y261.20W
	 Lid Safety Lid Base Perforated	● Y213.10W	● Y213.13W	● Y213.15W
● Y223.10W		● Y223.13W	● Y223.15W	● Y223.20W
● Y233.10W		● Y233.13W	● Y233.15W	● Y233.20W
● Y243.10W		● Y243.13W	● Y243.15W	● Y243.20W
● Y253.10W		● Y253.13W	● Y253.15W	● Y253.20W
● Y263.10W		● Y263.13W	● Y263.15W	● Y263.20W



W SERIES

Middle Size (3/4)

Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x85 Y205.10W

465x280x120 - 430x260x115 Y205.13W

465x280x140 - 430x260x135 Y205.15W

465x280x190 - 430x260x185 Y205.20W

465x280 (mm)

Code

● Y200.01

● Y200.02

● Y200.03

● Y200.04

● Y200.05

● Y200.06



Base
Closed



Lid
Perforated

Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x75 Y206.10W

465x280x120 - 430x260x105 Y206.13W

465x280x140 - 430x260x125 Y206.15W

465x280x190 - 430x260x175 Y206.20W

465x280 (mm)

Code

● Y203.01B

● Y203.02B

● Y203.03B

● Y203.04B

● Y203.05B

● Y203.06B



Base
Perforated *



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
 Lid Perforated Base Closed	● Y310.10W	● Y310.13W	● Y310.15W	● Y310.20W	● Y310.26W
	● Y320.10W	● Y320.13W	● Y320.15W	● Y320.20W	● Y320.26W
	● Y330.10W	● Y330.13W	● Y330.15W	● Y330.20W	● Y330.26W
	● Y340.10W	● Y340.13W	● Y340.15W	● Y340.20W	● Y340.26W
	● Y350.10W	● Y350.13W	● Y350.15W	● Y350.20W	● Y350.26W
	● Y360.10W	● Y360.13W	● Y360.15W	● Y360.20W	● Y360.26W
 Lid Safety Lid Base Closed	● Y312.10W	● Y312.13W	● Y312.15W	● Y312.20W	● Y312.26W
	● Y322.10W	● Y322.13W	● Y322.15W	● Y322.20W	● Y322.26W
	● Y332.10W	● Y332.13W	● Y332.15W	● Y332.20W	● Y332.26W
	● Y342.10W	● Y342.13W	● Y342.15W	● Y342.20W	● Y342.26W
	● Y352.10W	● Y352.13W	● Y352.15W	● Y352.20W	● Y352.26W
	● Y362.10W	● Y362.13W	● Y362.15W	● Y362.20W	● Y362.26W
 Lid Perforated Base Perforated	● Y311.10W	● Y311.13W	● Y311.15W	● Y311.20W	● Y311.26W
	● Y321.10W	● Y321.13W	● Y321.15W	● Y321.20W	● Y321.26W
	● Y331.10W	● Y331.13W	● Y331.15W	● Y331.20W	● Y331.26W
	● Y341.10W	● Y341.13W	● Y341.15W	● Y341.20W	● Y341.26W
	● Y351.10W	● Y351.13W	● Y351.15W	● Y351.20W	● Y351.26W
	● Y361.10W	● Y361.13W	● Y361.15W	● Y361.20W	● Y361.26W
 Lid Safety Lid Base Perforated	● Y313.10W	● Y313.13W	● Y313.15W	● Y313.20W	● Y313.26W
	● Y323.10W	● Y323.13W	● Y323.15W	● Y323.20W	● Y323.26W
	● Y333.10W	● Y333.13W	● Y333.15W	● Y333.20W	● Y333.26W
	● Y343.10W	● Y343.13W	● Y343.15W	● Y343.20W	● Y343.26W
	● Y353.10W	● Y353.13W	● Y353.15W	● Y353.20W	● Y353.26W
	● Y363.10W	● Y363.13W	● Y363.15W	● Y363.20W	● Y363.26W



W SERIES

Half Size (1/2)



Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x85	Y305.10W
295x280x120 - 260x260x115	Y305.13W
295x280x140 - 260x260x135	Y305.15W
295x280x190 - 260x260x185	Y305.20W
295x280x250 - 260x260x245	Y305.26W

295x280 (mm)

Code

	Y300.01
	Y300.02
	Y300.03
	Y300.04
	Y300.05
	Y300.06



Base
Closed



Lid
Perforated







Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x75	Y306.10W
295x280x120 - 260x260x105	Y306.13W
295x280x140 - 260x260x125	Y306.15W
295x280x190 - 260x260x175	Y306.20W
295x280x250 - 260x260x235	Y306.26W

295x280 (mm)

Code

	Y303.01B
	Y303.02B
	Y303.03B
	Y303.04B
	Y303.05B
	Y303.06B



Base
Perforated *



Safety
Lid

* Product code does not include the filters, for visual purposes only.

Bio-Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

Bio-Barrier

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
● Y110.10WB	Y110.10WB	Y110.13WB	Y110.15WB	Y110.20WB	Y110.26WB
● Y120.10WB	Y120.10WB	Y120.13WB	Y120.15WB	Y120.20WB	Y120.26WB
● Y130.10WB	Y130.10WB	Y130.13WB	Y130.15WB	Y130.20WB	Y130.26WB
● Y140.10WB	Y140.10WB	Y140.13WB	Y140.15WB	Y140.20WB	Y140.26WB
● Y150.10WB	Y150.10WB	Y150.13WB	Y150.15WB	Y150.20WB	Y150.26WB
● Y160.10WB	Y160.10WB	Y160.13WB	Y160.15WB	Y160.20WB	Y160.26WB

Valve

● Y110.10WV	Y110.10WV	Y110.13WV	Y110.15WV	Y110.20WV	Y110.26WV
● Y120.10WV	Y120.10WV	Y120.13WV	Y120.15WV	Y120.20WV	Y120.26WV
● Y130.10WV	Y130.10WV	Y130.13WV	Y130.15WV	Y130.20WV	Y130.26WV
● Y140.10WV	Y140.10WV	Y140.13WV	Y140.15WV	Y140.20WV	Y140.26WV
● Y150.10WV	Y150.10WV	Y150.13WV	Y150.15WV	Y150.20WV	Y150.26WV
● Y160.10WV	Y160.10WV	Y160.13WV	Y160.15WV	Y160.20WV	Y160.26WV

PTFE

● Y110.10WP	Y110.10WP	Y110.13WP	Y110.15WP	Y110.20WP	Y110.26WP
● Y120.10WP	Y120.10WP	Y120.13WP	Y120.15WP	Y120.20WP	Y120.26WP
● Y130.10WP	Y130.10WP	Y130.13WP	Y130.15WP	Y130.20WP	Y130.26WP
● Y140.10WP	Y140.10WP	Y140.13WP	Y140.15WP	Y140.20WP	Y140.26WP
● Y150.10WP	Y150.10WP	Y150.13WP	Y150.15WP	Y150.20WP	Y150.26WP
● Y160.10WP	Y160.10WP	Y160.13WP	Y160.15WP	Y160.20WP	Y160.26WP



W SERIES/Reusable

Full Size (1/1)

Outside - Inside Dimensions (mm)

Code

585x280x90 - 550x260x85	Y105.10W
585x280x120 - 550x260x115	Y105.13W
585x280x140 - 550x260x135	Y105.15W
585x280x190 - 550x260x185	Y105.20W
585x280x250 - 550x260x245	Y105.26W



Base
Closed

Bio-Barrier

585x280 mm

Code

- Y100.01B
- Y100.02B
- Y100.03B
- Y100.04B
- Y100.05B
- Y100.06B

Valve

585x280 mm

Code

- Y100.01V
- Y100.02V
- Y100.03V
- Y100.04V
- Y100.05V
- Y100.06V

PTFE

585x280 mm

Code

- Y100.01P
- Y100.02P
- Y100.03P
- Y100.04P
- Y100.05P
- Y100.06P



Lid

Bio-Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

Bio-Barrier

465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
---------------------------	----------------------------	----------------------------	----------------------------

●	Y210.10WB	Y210.13WB	Y210.15WB	Y210.20WB
●	Y220.10WB	Y220.13WB	Y220.15WB	Y220.20WB
●	Y230.10WB	Y230.13WB	Y230.15WB	Y230.20WB
●	Y240.10WB	Y240.13WB	Y240.15WB	Y240.20WB
●	Y250.10WB	Y250.13WB	Y250.15WB	Y250.20WB
●	Y260.10WB	Y260.13WB	Y260.15WB	Y260.20WB

Valve

●	Y210.10WV	Y210.13WV	Y210.15WV	Y210.20WV
●	Y220.10WV	Y220.13WV	Y220.15WV	Y220.20WV
●	Y230.10WV	Y230.13WV	Y230.15WV	Y230.20WV
●	Y240.10WV	Y240.13WV	Y240.15WV	Y240.20WV
●	Y250.10WV	Y250.13WV	Y250.15WV	Y250.20WV
●	Y260.10WV	Y260.13WV	Y260.15WV	Y260.20WV

PTFE

●	Y210.10WP	Y210.13WP	Y210.15WP	Y210.20WP
●	Y220.10WP	Y220.13WP	Y220.15WP	Y220.20WP
●	Y230.10WP	Y230.13WP	Y230.15WP	Y230.20WP
●	Y240.10WP	Y240.13WP	Y240.15WP	Y240.20WP
●	Y250.10WP	Y250.13WP	Y250.15WP	Y250.20WP
●	Y260.10WP	Y260.13WP	Y260.15WP	Y260.20WP



W SERIES/Reusable

Middle Size (3/4)

Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x85 Y205.10W

465x280x120 - 430x260x115 Y205.13W

465x280x140 - 430x260x135 Y205.15W

465x280x190 - 430x260x185 Y205.20W



Base
Closed

Bio-Barrier

465x280 (mm)

Code

- Y200.01B
- Y200.02B
- Y200.03B
- Y200.04B
- Y200.05B
- Y200.06B

Valve

465x280 (mm)

Code

- Y200.01V
- Y200.02V
- Y200.03V
- Y200.04V
- Y200.05V
- Y200.06V

PTFE

465x280 (mm)

Code

- Y200.01P
- Y200.02P
- Y200.03P
- Y200.04P
- Y200.05P
- Y200.06P



Lid

Bio Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

Bio-Barrier

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
● Y310.10WB	Y310.10WB	Y310.13WB	Y310.15WB	Y310.20WB	Y310.26WB
● Y320.10WB	Y320.10WB	Y320.13WB	Y320.15WB	Y320.20WB	Y320.26WB
● Y330.10WB	Y330.10WB	Y330.13WB	Y330.15WB	Y330.20WB	Y330.26WB
● Y340.10WB	Y340.10WB	Y340.13WB	Y340.15WB	Y340.20WB	Y340.26WB
● Y350.10WB	Y350.10WB	Y350.13WB	Y350.15WB	Y350.20WB	Y350.26WB
● Y360.10WB	Y360.10WB	Y360.13WB	Y360.15WB	Y360.20WB	Y360.26WB

Valve

● Y310.10WV	Y310.10WV	Y310.13WV	Y310.15WV	Y310.20WV	Y310.26WV
● Y320.10WV	Y320.10WV	Y320.13WV	Y320.15WV	Y320.20WV	Y320.26WV
● Y330.10WV	Y330.10WV	Y330.13WV	Y330.15WV	Y330.20WV	Y330.26WV
● Y340.10WV	Y340.10WV	Y340.13WV	Y340.15WV	Y340.20WV	Y340.26WV
● Y350.10WV	Y350.10WV	Y350.13WV	Y350.15WV	Y350.20WV	Y350.26WV
● Y360.10WV	Y360.10WV	Y360.13WV	Y360.15WV	Y360.20WV	Y360.26WV

PTFE

● Y310.10WP	Y310.10WP	Y310.13WP	Y310.15WP	Y310.20WP	Y310.26WP
● Y320.10WP	Y320.10WP	Y320.13WP	Y320.15WP	Y320.20WP	Y320.26WP
● Y330.10WP	Y330.10WP	Y330.13WP	Y330.15WP	Y330.20WP	Y330.26WP
● Y340.10WP	Y340.10WP	Y340.13WP	Y340.15WP	Y340.20WP	Y340.26WP
● Y350.10WP	Y350.10WP	Y350.13WP	Y350.15WP	Y350.20WP	Y350.26WP
● Y360.10WP	Y360.10WP	Y360.13WP	Y360.15WP	Y360.20WP	Y360.26WP

W SERIES/Reusable

Half Size (1/2)



Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x85	Y305.10W
295x280x120 - 260x260x115	Y305.13W
295x280x140 - 260x260x135	Y305.15W
295x280x190 - 260x260x185	Y305.20W
295x280x250 - 260x260x245	Y305.26W



Base
Closed

Bio Barrier

295x280 (mm)

Code

- Y300.01B
- Y300.02B
- Y300.03B
- Y300.04B
- Y300.05B
- Y300.06B

Valve

295x280 (mm)

Code

- Y300.01V
- Y300.02V
- Y300.03V
- Y300.04V
- Y300.05V
- Y300.06V

PTFE

295x280 (mm)

Code

- Y300.01P
- Y300.02P
- Y300.03P
- Y300.04P
- Y300.05P
- Y300.06P



Lid



W SERIES

Long Body

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Outside - Inside Dimensions (mm)

Code

710x280x190 - 685x260x185

Y105.70W

710x280x205
685x260x185

- Y110.70W
- Y120.70W
- Y130.70W
- Y140.70W
- Y150.70W
- Y160.70W



Lid Perforated
Base Closed



Base
Closed

710x280x205
685x260x175

- Y111.70W
- Y121.70W
- Y131.70W
- Y141.70W
- Y151.70W
- Y161.70W



Lid Perforated
Base Perforated

Outside - Inside Dimensions (mm)

Code

710x280x190 - 685x260x175

Y106.70W



Base
Perforated *

710x280 (mm)

Code

- Y100.71
- Y100.72
- Y100.73
- Y100.74
- Y100.75
- Y100.76

Lid
Perforated





W SERIES

Wide Body

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Outside - Inside Dimensions (mm)

Code



Lid Perforated
Base Closed

600x400x125 565x380x105	600x400x185 565x380x165
----------------------------	----------------------------

- | | | |
|---|----------|----------|
| ● | Y110.62W | Y110.68W |
| ● | Y120.62W | Y120.68W |
| ● | Y130.62W | Y130.68W |
| ● | Y140.62W | Y140.68W |
| ● | Y150.62W | Y150.68W |
| ● | Y160.62W | Y160.68W |

- | | |
|---------------------------|----------|
| 600x400x110 - 565x380x105 | Y105.62W |
| 600x400x170 - 565x380x165 | Y105.68W |



Base
Closed



Lid Perforated
Base Perforated

600x400x125 565x380x95	600x400x185 565x380x155
---------------------------	----------------------------

- | | | |
|---|----------|----------|
| ● | Y111.62W | Y111.68W |
| ● | Y121.62W | Y121.68W |
| ● | Y131.62W | Y131.68W |
| ● | Y141.62W | Y141.68W |
| ● | Y151.62W | Y151.68W |
| ● | Y161.62W | Y161.68W |

Outside - Inside Dimensions (mm)

Code

- | | |
|---------------------------|----------|
| 600x400x110 - 565x380x95 | Y106.62W |
| 600x400x170 - 565x380x155 | Y106.68W |



Base
Perforated *



Lid
Perforated

600x400 (mm)

Code

- | | |
|---|---------|
| ● | Y100.51 |
| ● | Y100.52 |
| ● | Y100.53 |
| ● | Y100.54 |
| ● | Y100.55 |
| ● | Y100.56 |

* Product code does not include the filters, for visual purposes only.

W SERIES/Removal

Half Size (1/2)



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

295x280x105 260x260x85	295x280x155 260x260x135
---------------------------	----------------------------

- | | | |
|---|----------|----------|
| ● | Y315.10W | Y315.15W |
| ● | Y325.10W | Y325.15W |
| ● | Y335.10W | Y335.15W |
| ● | Y345.10W | Y345.15W |
| ● | Y355.10W | Y355.15W |
| ● | Y365.10W | Y365.15W |



Lid Closed
Base Closed

Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x85	Y305.10W
295x280x140 - 260x260x135	Y305.15W



Base
Closed

295x280 (mm)

Code

- | | |
|---|---------|
| ● | Y302.01 |
| ● | Y302.02 |
| ● | Y302.03 |
| ● | Y302.04 |
| ● | Y302.05 |
| ● | Y302.06 |



Lid
Closed



W SERIES/Removal

Full Size (1/1)

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Outside - Inside Dimensions (mm)

Code

585x280x140 - 550x260x135

Y105.15W

585x280x155
550x260x135

- Y115.15W
- Y125.15W
- Y135.15W
- Y145.15W
- Y155.15W
- Y165.15W



Lid Closed
Base Closed



Base
Closed

585x280 (mm)

Code

- Y102.01
- Y102.02
- Y102.03
- Y102.04
- Y102.05
- Y102.06



Lid
Closed



PROPERTY
EXTENSION
EXP. DATE
FACILITY
CITY, STATE
COUN. NO.
SERIAL
MAY 1992 LA
11111111

S SERIES CONTAINER SYSTEMS

Full Size (1/1)

54-55

Middle Size (3/4)

56-57

Half Size (1/2)

58-59

Wide Body

60-61

Removal

62-63

Full Size (1/1), Middle Size (3/4)



Lid Perforated / Base Closed



Lid Safety Lid / Base Perforated



Lid & Base Perforated



Lid Safety Lid / Base Closed



Lid & Base Closed



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
 Lid Perforated Base Closed	● Y110.10	● Y110.13	● Y110.15	● Y110.20	● Y110.26
	● Y120.10	● Y120.13	● Y120.15	● Y120.20	● Y120.26
	● Y130.10	● Y130.13	● Y130.15	● Y130.20	● Y130.26
	● Y140.10	● Y140.13	● Y140.15	● Y140.20	● Y140.26
	● Y150.10	● Y150.13	● Y150.15	● Y150.20	● Y150.26
	● Y160.10	● Y160.13	● Y160.15	● Y160.20	● Y160.26
 Lid Safety Lid Base Closed	● Y112.10	● Y112.13	● Y112.15	● Y112.20	● Y112.26
	● Y122.10	● Y122.13	● Y122.15	● Y122.20	● Y122.26
	● Y132.10	● Y132.13	● Y132.15	● Y132.20	● Y132.26
	● Y142.10	● Y142.13	● Y142.15	● Y142.20	● Y142.26
	● Y152.10	● Y152.13	● Y152.15	● Y152.20	● Y152.26
	● Y162.10	● Y162.13	● Y162.15	● Y162.20	● Y162.26
 Lid Perforated Base Perforated	● Y111.10	● Y111.13	● Y111.15	● Y111.20	● Y111.26
	● Y121.10	● Y121.13	● Y121.15	● Y121.20	● Y121.26
	● Y131.10	● Y131.13	● Y131.15	● Y131.20	● Y131.26
	● Y141.10	● Y141.13	● Y141.15	● Y141.20	● Y141.26
	● Y151.10	● Y151.13	● Y151.15	● Y151.20	● Y151.26
	● Y161.10	● Y161.13	● Y161.15	● Y161.20	● Y161.26
 Lid Safety Lid Base Perforated	● Y113.10	● Y113.13	● Y113.15	● Y113.20	● Y113.26
	● Y123.10	● Y123.13	● Y123.15	● Y123.20	● Y123.26
	● Y133.10	● Y133.13	● Y133.15	● Y133.20	● Y133.26
	● Y143.10	● Y143.13	● Y143.15	● Y143.20	● Y143.26
	● Y153.10	● Y153.13	● Y153.15	● Y153.20	● Y153.26
	● Y163.10	● Y163.13	● Y163.15	● Y163.20	● Y163.26



S SERIES

Full Size (1/1)

Outside - Inside Dimensions (mm)

Code





585x280x90 - 550x260x85	Y105.10
585x280x120 - 550x260x115	Y105.13
585x280x140 - 550x260x135	Y105.15
585x280x190 - 550x260x185	Y105.20
585x280x250 - 550x260x245	Y105.26



Base
Closed

585x280 (mm)

Code

	Y100.01
	Y100.02
	Y100.03
	Y100.04
	Y100.05
	Y100.06



Lid
Perforated

Outside - Inside Dimensions (mm)

Code







585x280x90 - 550x260x75	Y106.10
585x280x120 - 550x260x105	Y106.13
585x280x140 - 550x260x125	Y106.15
585x280x190 - 550x260x175	Y106.20
585x280x250 - 550x260x235	Y106.26



Base
Perforated *

585x280 (mm)

Code

	Y103.01B
	Y103.02B
	Y103.03B
	Y103.04B
	Y103.05B
	Y103.06B



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
 Lid Perforated Base Closed	● Y210.10	● Y210.13	● Y210.15	● Y210.20
	● Y220.10	● Y220.13	● Y220.15	● Y220.20
	● Y230.10	● Y230.13	● Y230.15	● Y230.20
	● Y240.10	● Y240.13	● Y240.15	● Y240.20
	● Y250.10	● Y250.13	● Y250.15	● Y250.20
	● Y260.10	● Y260.13	● Y260.15	● Y260.20
 Lid Safety Lid Base Closed	● Y212.10	● Y212.13	● Y212.15	● Y212.20
	● Y222.10	● Y222.13	● Y222.15	● Y222.20
	● Y232.10	● Y232.13	● Y232.15	● Y232.20
	● Y242.10	● Y242.13	● Y242.15	● Y242.20
	● Y252.10	● Y252.13	● Y252.15	● Y252.20
	● Y262.10	● Y262.13	● Y262.15	● Y262.20
 Lid Perforated Base Perforated	465x280x105 430x260x75	465x280x135 430x260x105	465x280x155 430x260x125	465x280x205 430x260x175
	● Y211.10	● Y211.13	● Y211.15	● Y211.20
	● Y221.10	● Y221.13	● Y221.15	● Y221.20
	● Y231.10	● Y231.13	● Y231.15	● Y231.20
	● Y241.10	● Y241.13	● Y241.15	● Y241.20
	● Y251.10	● Y251.13	● Y251.15	● Y251.20
 Lid Safety Lid Base Perforated	● Y213.10	● Y213.13	● Y213.15	● Y213.20
	● Y223.10	● Y223.13	● Y223.15	● Y223.20
	● Y233.10	● Y233.13	● Y233.15	● Y233.20
	● Y243.10	● Y243.13	● Y243.15	● Y243.20
	● Y253.10	● Y253.13	● Y253.15	● Y253.20
	● Y263.10	● Y263.13	● Y263.15	● Y263.20



S SERIES

Middle Size (3/4)







Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x85	Y205.10
465x280x120 - 430x260x115	Y205.13
465x280x140 - 430x260x135	Y205.15
465x280x190 - 430x260x185	Y205.20

465x280 (mm)

Code

	Y200.01
	Y200.02
	Y200.03
	Y200.04
	Y200.05
	Y200.06



Base
Closed



Lid
Perforated







Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x75	Y206.10
465x280x120 - 430x260x105	Y206.13
465x280x140 - 430x260x125	Y206.15
465x280x190 - 430x260x175	Y206.20

465x280 (mm)

Code

	Y203.01B
	Y203.02B
	Y203.03B
	Y203.04B
	Y203.05B
	Y203.06B



Base
Perforated *



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
 Lid Perforated Base Closed	● Y310.10	● Y310.13	● Y310.15	● Y310.20	● Y310.26
	● Y320.10	● Y320.13	● Y320.15	● Y320.20	● Y320.26
	● Y330.10	● Y330.13	● Y330.15	● Y330.20	● Y330.26
	● Y340.10	● Y340.13	● Y340.15	● Y340.20	● Y340.26
	● Y350.10	● Y350.13	● Y350.15	● Y350.20	● Y350.26
	● Y360.10	● Y360.13	● Y360.15	● Y360.20	● Y360.26
 Lid Safety Lid Base Closed	● Y312.10	● Y312.13	● Y312.15	● Y312.20	● Y312.26
	● Y322.10	● Y322.13	● Y322.15	● Y322.20	● Y322.26
	● Y332.10	● Y332.13	● Y332.15	● Y332.20	● Y332.26
	● Y342.10	● Y342.13	● Y342.15	● Y342.20	● Y342.26
	● Y352.10	● Y352.13	● Y352.15	● Y352.20	● Y352.26
	● Y362.10	● Y362.13	● Y362.15	● Y362.20	● Y362.26
 Lid Perforated Base Perforated	● Y311.10	● Y311.13	● Y311.15	● Y311.20	● Y311.26
	● Y321.10	● Y321.13	● Y321.15	● Y321.20	● Y321.26
	● Y331.10	● Y331.13	● Y331.15	● Y331.20	● Y331.26
	● Y341.10	● Y341.13	● Y341.15	● Y341.20	● Y341.26
	● Y351.10	● Y351.13	● Y351.15	● Y351.20	● Y351.26
	● Y361.10	● Y361.13	● Y361.15	● Y361.20	● Y361.26
 Lid Safety Lid Base Perforated	● Y313.10	● Y313.13	● Y313.15	● Y313.20	● Y313.26
	● Y323.10	● Y323.13	● Y323.15	● Y323.20	● Y323.26
	● Y333.10	● Y333.13	● Y333.15	● Y333.20	● Y333.26
	● Y343.10	● Y343.13	● Y343.15	● Y343.20	● Y343.26
	● Y353.10	● Y353.13	● Y353.15	● Y353.20	● Y353.26
	● Y363.10	● Y363.13	● Y363.15	● Y363.20	● Y363.26



S SERIES

Half Size (1/2)

Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x85	Y305.10
295x280x120 - 260x260x115	Y305.13
295x280x140 - 260x260x135	Y305.15
295x280x190 - 260x260x185	Y305.20
295x280x250 - 260x260x245	Y305.26

295x280 (mm)

Code

	Y300.01
	Y300.02
	Y300.03
	Y300.04
	Y300.05
	Y300.06



Base
Closed



Lid
Perforated







Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x75	Y306.10
295x280x120 - 260x260x105	Y306.13
295x280x140 - 260x260x125	Y306.15
295x280x190 - 260x260x175	Y306.20
295x280x250 - 260x260x235	Y306.26

295x280 (mm)

Code

	Y303.01B
	Y303.02B
	Y303.03B
	Y303.04B
	Y303.05B
	Y303.06B



Base
Perforated *



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Closed

600x400x125 565x380x105	600x400x185 565x380x165
----------------------------	----------------------------

●	Y110.62	Y110.68
●	Y120.62	Y120.68
●	Y130.62	Y130.68
●	Y140.62	Y140.68
●	Y150.62	Y150.68
●	Y160.62	Y160.68



Lid Perforated
Base Perforated

600x400x125 565x380x95	600x400x185 565x380x155
---------------------------	----------------------------

●	Y111.62	Y111.68
●	Y121.62	Y121.68
●	Y131.62	Y131.68
●	Y141.62	Y141.68
●	Y151.62	Y151.68
●	Y161.62	Y161.68



S SERIES

Wide Body

Outside - Inside Dimensions (mm)

Code

600x400x110 - 565x380x105

Y105.62

600x400x170 - 565x380x165

Y105.68

600x400 (mm)

Code

● Y100.51

● Y100.52

● Y100.53


● Y100.54

● Y100.55

● Y100.56



Base
Closed



Lid
Perforated

Outside - Inside Dimensions (mm)

Code

600x400x110 - 565x380x95

Y106.62

600x400x170 - 565x380x155

Y106.68



Base
Perforated *

* Product code does not include the filters, for visual purposes only.

S SERIES/Removal

Half Size (1/2)



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

295x280x105 260x260x85	295x280x155 260x260x135
---------------------------	----------------------------

- | | | |
|---|---------|---------|
| ● | Y315.10 | Y315.15 |
| ● | Y325.10 | Y325.15 |
| ● | Y335.10 | Y335.15 |
| ● | Y345.10 | Y345.15 |
| ● | Y355.10 | Y355.15 |
| ● | Y365.10 | Y365.15 |



Lid Closed
Base Closed

Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x85	Y305.10
295x280x140 - 260x260x135	Y305.15



Base
Closed

295x280 (mm)

Code

- | | |
|---|---------|
| ● | Y302.01 |
| ● | Y302.02 |
| ● | Y302.03 |
| ● | Y302.04 |
| ● | Y302.05 |
| ● | Y302.06 |



Lid
Closed



S SERIES/Removal

Full Size (1/1)

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Outside - Inside Dimensions (mm)

Code

585x280x140 - 550x260x135

Y105.15

585x280x155
550x260x135

- Y115.15
- Y125.15
- Y135.15
- Y145.15
- Y155.15
- Y165.15



Lid Closed
Base Closed



Base
Closed

585x280 (mm)

Code

- Y102.01
- Y102.02
- Y102.03
- Y102.04
- Y102.05
- Y102.06



Lid
Closed



A SERIES CONTAINER SYSTEMS

Flat & Mini Model

66-67

Dental & Mini Dental Model

68-69

Reusable Systems (Dental)

70-71



Lid Perforated / Base Closed



Lid & Base Perforated

A SERIES

Flat Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Closed

	300x280x55 270x270x45	300x280x85 270x270x75
●	Y310.05A	Y310.08A
●	Y320.05A	Y320.08A
●	Y330.05A	Y330.08A
●	Y340.05A	Y340.08A
●	Y350.05A	Y350.08A
●	Y360.05A	Y360.08A

Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Perforated

	300x280x85 270x270x75
●	Y311.08A
●	Y321.08A
●	Y331.08A
●	Y341.08A
●	Y351.08A
●	Y361.08A



Base
Closed

Outside - Inside Dimensions (mm)

Code

300x280x45 - 270x270x45	Y305.05A
300x280x75 - 270x270x75	Y305.08A



Base
Perforated *

Outside - Inside Dimensions (mm)

Code

300x280x75 - 270x270x65	Y306.08A
-------------------------	----------

300x280 (mm)

Code

●	Y304.01A
●	Y304.02A
●	Y304.03A
●	Y304.04A
●	Y304.05A
●	Y304.06A

Lid
Perforated



A SERIES

Mini Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



	310x140x45 280x130x40	310x140x75 280x130x70	310x140x105 280x130x100
●	Y410.04A	Y410.07A	Y410.10A
●	Y420.04A	Y420.07A	Y420.10A
●	Y430.04A	Y430.07A	Y430.10A
●	Y440.04A	Y440.07A	Y440.10A
●	Y450.04A	Y450.07A	Y450.10A
●	Y460.04A	Y460.07A	Y460.10A



●	Y411.04A	Y411.07A	Y411.10A
●	Y421.04A	Y421.07A	Y421.10A
●	Y431.04A	Y431.07A	Y431.10A
●	Y441.04A	Y441.07A	Y441.10A
●	Y451.04A	Y451.07A	Y451.10A
●	Y461.04A	Y461.07A	Y461.10A



Base
Closed

Outside - Inside Dimensions (mm)

Code

310x130x40 - 280x130x40	Y405.04A
310x130x70 - 280x130x70	Y405.07A
310x130x100 - 280x130x100	Y405.10A



Base
Perforated *

Outside - Inside Dimensions (mm)

Code

310x130x40 - 280x130x35	Y406.04A
310x130x70 - 280x130x65	Y406.07A
310x130x100 - 280x130x95	Y406.10A

310x140 (mm)

Code

●	Y400.01A
●	Y400.02A
●	Y400.03A
●	Y400.04A
●	Y400.05A
●	Y400.06A

Lid
Perforated



* Product code does not include the filters, for visual purposes only.

A SERIES

Dental Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Closed

	310x190x45 280x180x40	310x190x65 280x180x60	310x190x85 280x180x80	310x190x105 280x180x100	310x190x135 280x180x130
●	Y510.04A	Y510.06A	Y510.08A	Y510.10A	Y510.13A
●	Y520.04A	Y520.06A	Y520.08A	Y520.10A	Y520.13A
●	Y530.04A	Y530.06A	Y530.08A	Y530.10A	Y530.13A
●	Y540.04A	Y540.06A	Y540.08A	Y540.10A	Y540.13A
●	Y550.04A	Y550.06A	Y550.08A	Y550.10A	Y550.13A
●	Y560.04A	Y560.06A	Y560.08A	Y560.10A	Y560.13A



Lid Perforated
Base Perforated

	310x190x45 280x180x35	310x190x65 280x180x55	310x190x85 280x180x75	310x190x105 280x180x95	310x190x135 280x180x125
●	Y511.04A	Y511.06A	Y511.08A	Y511.10A	Y511.13A
●	Y521.04A	Y521.06A	Y521.08A	Y521.10A	Y521.13A
●	Y531.04A	Y531.06A	Y531.08A	Y531.10A	Y531.13A
●	Y541.04A	Y541.06A	Y541.08A	Y541.10A	Y541.13A
●	Y551.04A	Y551.06A	Y551.08A	Y551.10A	Y551.13A
●	Y561.04A	Y561.06A	Y561.08A	Y561.10A	Y561.13A



Base
Closed



Base
Perforated *

Outside - Inside Dimensions (mm)

Code


310x190x40 - 280x180x40	Y505.04A
310x190x60 - 280x180x60	Y505.06A
310x190x80 - 280x180x80	Y505.08A
310x190x100 - 280x180x100	Y505.10A
310x190x130 - 280x180x130	Y505.13A

310x190x40 - 280x180x35	Y506.04A
310x190x60 - 280x180x55	Y506.06A
310x190x80 - 280x180x75	Y506.08A
310x190x100 - 280x180x95	Y506.10A
310x190x130 - 280x180x125	Y506.13A

310x190 (mm)

Code

●	Y500.01A
●	Y500.02A
●	Y500.03A
●	Y500.04A
●	Y500.05A
●	Y500.06A



Lid
Perforated

A SERIES

Mini Dental Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



	210x155x55 180x145x50	210x155x65 180x145x60
●	Y515.05A	Y515.06A
●	Y525.05A	Y525.06A
●	Y535.05A	Y535.06A
●	Y545.05A	Y545.06A
●	Y555.05A	Y555.06A
●	Y565.05A	Y565.06A



Base
Closed

Outside - Inside Dimensions (mm)

Code

210x155x50 - 180x145x50

Y508.05A

210x155x60 - 180x145x60

Y508.06A

210x155 (mm)

Code

● Y501.01A

● Y501.02A

● Y501.03A

● Y501.04A

● Y501.05A

● Y501.06A

Lid
Perforated



* Product code does not include the filters, for visual purposes only.

Bio-Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



	310x190x90 280x180x80	310x190x110 280x180x100	310x190x140 280x180x130
●	Y510.08AB	Y510.10AB	Y510.13AB
●	Y520.08AB	Y520.10AB	Y520.13AB
●	Y530.08AB	Y530.10AB	Y530.13AB
●	Y540.08AB	Y540.10AB	Y540.13AB
●	Y550.08AB	Y550.10AB	Y550.13AB
●	Y560.08AB	Y560.10AB	Y560.13AB

●	Y510.08AV	Y510.10AV	Y510.13AV
●	Y520.08AV	Y520.10AV	Y520.13AV
●	Y530.08AV	Y530.10AV	Y530.13AV
●	Y540.08AV	Y540.10AV	Y540.13AV
●	Y550.08AV	Y550.10AV	Y550.13AV
●	Y560.08AV	Y560.10AV	Y560.13AV

●	Y510.08AP	Y510.10AP	Y510.13AP
●	Y520.08AP	Y520.10AP	Y520.13AP
●	Y530.08AP	Y530.10AP	Y530.13AP
●	Y540.08AP	Y540.10AP	Y540.13AP
●	Y550.08AP	Y550.10AP	Y550.13AP
●	Y560.08AP	Y560.10AP	Y560.13AP

Bio-Barrier

Valve

PTFE

A SERIES/Reusable

Dental Model



Outside - Inside Dimensions (mm)







Code

310x190x80 - 280x180x80	Y505.08A
310x190x100 - 280x180x100	Y505.10A
310x190x130 - 280x180x130	Y505.13A









Base
Closed







Bio-Barrier

310x190 (mm)	Code
	Y500.01AB
	Y500.02AB
	Y500.03AB
	Y500.04AB
	Y500.05AB
	Y500.06AB

Valve

310x190 (mm)	Code
	Y500.01AV
	Y500.02AV
	Y500.03AV
	Y500.04AV
	Y500.05AV
	Y500.06AV

PTFE

310x190 (mm)	Code
	Y500.01AP
	Y500.02AP
	Y500.03AP
	Y500.04AP
	Y500.05AP
	Y500.06AP



Lid



SPECIFIC CONTAINERS

Implant & Scopy Model

74-75



Lid & Base Perforated



SPECIFIC

Implant Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



310x140x65
310x135x65

500x155x75
500x150x75

- Y610.06
- Y620.06
- Y630.06
- Y640.06
- Y650.06
- Y660.06

- Y612.07
- Y622.07
- Y632.07
- Y642.07
- Y652.07
- Y662.07



SPECIFIC

Scopy Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)




Lid Perforated
Base Perforated

250x60x50
250x55x45

450x70x70
450x65x65

Y600.01

Y600.02





PERFORATED TRAYS

Standard Model

78

Optic, Mini & Dental Model


79

Micro, Small, Large Model

80-81



Mesh Dimensions 4x4 mm
Range of Mesh 1 mm



Suitable for effortless adaptation of the components



Easy handling and carrying even when the lid is closed

PERFORATED TRAYS

Standard Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Polymer Foot
Y835.00



Base

Half Size	Middle Size	DIN Size	Full Size	Long	Wide
Y380.03 242x252x25	Y280.03 405x252x25	Y180.03 484x252x25	Y181.03 539x252x25	Y182.03 655x252x25	Y183.03 530x330x25
Y380.05 242x252x45	Y280.05 405x252x45	Y180.05 484x252x45	Y181.05 539x252x45	Y182.05 655x252x45	Y183.05 530x330x45
Y380.07 242x252x65	Y280.07 405x252x65	Y180.07 484x252x65	Y181.07 539x252x65	Y182.07 655x252x65	Y183.07 530x330x65
Y380.10 242x252x95	Y280.10 405x252x95	Y180.10 484x252x95	Y181.10 539x252x95	Y182.10 655x252x95	Y183.10 530x330x95



Base & Lid

Y380.03L 246x256x25	Y280.03L 409x256x25	Y180.03L 488x256x25	Y181.03L 543x256x25	Y182.03L 655x252x25	Y183.03L 530x330x25
Y380.05L 246x256x45	Y280.05L 409x256x45	Y180.05L 488x256x45	Y181.05L 543x256x45	Y182.05L 655x252x45	Y183.05L 530x330x45
Y380.07L 246x256x65	Y280.07L 409x256x65	Y180.07L 488x256x65	Y181.07L 543x256x65	Y182.07L 655x252x65	Y183.07L 530x330x65
Y380.10L 246x256x95	Y280.10L 409x256x95	Y180.10L 488x256x95	Y181.10L 543x256x95	Y182.10L 655x252x95	Y183.10L 530x330x95




Base (With Feet)

Y380.03F 242x252x40	Y280.03F 405x252x40	Y180.03F 484x252x40	Y181.03F 539x252x40	Y182.03F 655x252x40	Y183.03F 530x330x40
Y380.05F 242x252x60	Y280.05F 405x252x60	Y180.05F 484x252x60	Y181.05F 539x252x60	Y182.05F 655x252x60	Y183.05F 530x330x60
Y380.07F 242x252x80	Y280.07F 405x252x80	Y180.07F 484x252x80	Y181.07F 539x252x80	Y182.07F 655x252x80	Y183.07F 530x330x80
Y380.10F 242x252x110	Y280.10F 405x252x110	Y180.10F 484x252x110	Y181.10F 539x252x110	Y182.10F 655x252x110	Y183.10F 530x330x110



Base & Lid
(With Feet)

Y380.03FL 246x256x40	Y280.03FL 409x256x40	Y180.03FL 488x256x40	Y181.03FL 543x256x40	Y182.03FL 655x252x40	Y183.03FL 530x330x40
Y380.05FL 246x256x60	Y280.05FL 409x256x60	Y180.05FL 488x256x60	Y181.05FL 543x256x60	Y182.05FL 655x252x60	Y183.05FL 530x330x60
Y380.07FL 246x256x80	Y280.07FL 409x256x80	Y180.07FL 488x256x80	Y181.07FL 543x256x80	Y182.07FL 655x252x80	Y183.07FL 530x330x80
Y380.10FL 246x256x110	Y280.10FL 409x256x110	Y180.10FL 488x256x110	Y181.10FL 543x256x110	Y182.10FL 655x252x110	Y183.10FL 530x330x110



Lid

Y380.01 246x256x15	Y280.01 409x256x15	Y180.01 488x256x15	Y181.01 543x256x15	Y182.01 659x256x15	Y183.01 534x334x15
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

PERFORATED TRAYS

Optic Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Single Scope



Base & Lid

Y695.00
272x83x44

Y696.00
452x83x44

Double Scope



Base & Lid

Y695.03
272x103x44

Y696.03
452x103x44



PERFORATED TRAYS

Mini & Dental Model

Mini Model



Base & Lid

Y480.04
270x123x45

Y480.06
270x123x65


Dental Model



Base & Lid

Y580.05
270x170x50

Y580.10
270x170x100




PERFORATED TRAYS WITH HINGES

Micro & Small Trays

Code	Outside Dimensions (mm)	Lock System	<ul style="list-style-type: none"> • Embossed lock system • 2x2mm perforated bottom and lid
Y580.20	40x40x25	Embossed lock system	
Y580.21	60x60x25	Embossed lock system	
Y580.22	60x60x40	Embossed lock system	
Y580.23	80x80x25	Embossed lock system	
Y580.24	80x80x40	Embossed lock system	
Y580.25	80x40x40	Embossed lock system	

Code	Outside Dimensions (mm)	Lock System	<ul style="list-style-type: none"> • Sliding flat lock system • 2x2mm perforated bottom and lid
Y580.30	100x30x25	Push lock system	
Y580.31	160x30x25	Push lock system	
Y580.32	200x30x25	Push lock system	
Y580.33	240x40x40	Push lock system	
Y580.34	300x40x40	Push lock system	
Y580.35	450x40x40	Push lock system	
Y581.20	115x90x45	Sliding flat lock system	
Y581.21	115x115x25	Sliding flat lock system	
Y581.22	145x150x50	Sliding flat lock system	
Y581.23	170x135x35	Sliding flat lock system	
Y581.24	210x145x25	Sliding flat lock system	
Y581.25	210x145x45	Sliding flat lock system	
Y581.26	240x240x45	Sliding flat lock system	
Y581.27	275x175x35	Sliding flat lock system	
Y581.28	280x170x60	Sliding flat lock system	





Large Trays

Code	Outside Dimensions (mm)	Lock System	<ul style="list-style-type: none"> • Sliding flat lock system • 4x4mm perforated bottom and lid
Y581.40	80x80x40	Push lock system	
Y581.41	100x80x30	Sliding flat lock system	
Y581.42	130x115x40	Sliding flat lock system	
Y581.43	130x115x60	Sliding flat lock system	
Y581.44	195x70x40	Sliding flat lock system	
Y581.45	225x130x40	Sliding flat lock system	
Y581.46	250x115x25	Sliding flat lock system	
Y581.47	250x115x40	Sliding flat lock system	
Y581.48	250x115x60	Sliding flat lock system	
Y581.49	480x115x50	Sliding flat lock system	
Y581.50	270x123x45	Sliding flat lock system	
Y581.51	270x123x65	Sliding flat lock system	
Y581.52	270x170x50	Sliding flat lock system	
Y581.53	270x170x100	Sliding flat lock system	

*Dimensions: width x length x height (with tolerances up to ±5mm)



HYBRID BASKETS

Standard Model

84-86

Specific Model

87



Base Intermediate Crimp
Mesh Dimensions 5x5 mm
Wire Diameter 1 mm
Sides Perforated sheet
Perforation Diameter 3 mm




Base Plain Weave
Mesh Dimensions 4x4 mm
Wire Diameter 1 mm
Sides Perforated sheet
Perforation Diameter 3 mm



Base Welded Wire Mesh
Mesh Dimensions 6x6 mm
Wire Diameter 1.2 mm
Sides Perforated sheet
Perforation Diameter 3 mm

STANDARD

Intermediate Crimp



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base

Half Size	Middle Size	DIN Size	Full Size
Y396.05A 245x255x50	Y296.05A 405x255x50	Y196.05A 485x255x50	Y197.05A 540x255x50
Y396.06A 245x255x60	Y296.06A 405x255x60	Y196.06A 485x255x60	Y197.06A 540x255x60
Y396.07A 245x255x70	Y296.07A 405x255x70	Y196.07A 485x255x70	Y197.07A 540x255x70
Y396.10A 245x255x100	Y296.10A 405x255x100	Y196.10A 485x255x100	Y197.10A 540x255x100



Base & Lid

Y396.05AL 245x255x50	Y296.05AL 405x255x50	Y196.05AL 485x255x50	Y197.05AL 540x255x50
Y396.06AL 245x255x60	Y296.06AL 405x255x60	Y196.06AL 485x255x60	Y197.06AL 540x255x60
Y396.07AL 245x255x70	Y296.07AL 405x255x70	Y196.07AL 485x255x70	Y197.07AL 540x255x70
Y396.10AL 245x255x100	Y296.10AL 405x255x100	Y196.10AL 485x255x100	Y197.10AL 540x255x100




Lid

Y390.01 215x240	Y290.01 375x240	Y190.01 455x240	Y191.01 510x240
--------------------	--------------------	--------------------	--------------------

..... Product Details


Base & Lid
Intermediate Crimp



Side Plate
Perforated Sheet

STANDARD

Plain Weave



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base

Half Size	Middle Size	DIN Size	Full Size
Y396.05B 245x255x50	Y296.05B 405x255x50	Y196.05B 485x255x50	Y197.05B 540x255x50
Y396.06B 245x255x60	Y296.06B 405x255x60	Y196.06B 485x255x60	Y197.06B 540x255x60
Y396.07B 245x255x70	Y296.07B 405x255x70	Y196.07B 485x255x70	Y197.07B 540x255x70
Y396.10B 245x255x100	Y296.10B 405x255x100	Y196.10B 485x255x100	Y197.10B 540x255x100



Base & Lid

Y396.05BL 245x255x50	Y296.05BL 405x255x50	Y196.05BL 485x255x50	Y197.05BL 540x255x50
Y396.06BL 245x255x60	Y296.06BL 405x255x60	Y196.06BL 485x255x60	Y197.06BL 540x255x60
Y396.07BL 245x255x70	Y296.07BL 405x255x70	Y196.07BL 485x255x70	Y197.07BL 540x255x70
Y396.10BL 245x255x100	Y296.10BL 405x255x100	Y196.10BL 485x255x100	Y197.10BL 540x255x100




Lid

Y392.01 215x240	Y292.01 375x240	Y192.01 455x240	Y193.01 510x240
--------------------	--------------------	--------------------	--------------------

Product Details


Base & Lid
Plain Weave



Side Plate
Perforated Sheet

STANDARD

Welded Wire Mesh



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base

Half Size	Middle Size	DIN Size	Full Size
Y396.05C 245x255x50	Y296.05C 405x255x50	Y196.05C 485x255x50	Y197.05C 540x255x50
Y396.06C 245x255x60	Y296.06C 405x255x60	Y196.06C 485x255x60	Y197.06C 540x255x60
Y396.07C 245x255x70	Y296.07C 405x255x70	Y196.07C 485x255x70	Y197.07C 540x255x70
Y396.10C 245x255x100	Y296.10C 405x255x100	Y196.10C 485x255x100	Y197.10C 540x255x100



Base & Lid

Y396.05CL 245x255x50	Y296.05CL 405x255x50	Y196.05CL 485x255x50	Y197.05CL 540x255x50
Y396.06CL 245x255x60	Y296.06CL 405x255x60	Y196.06CL 485x255x60	Y197.06CL 540x255x60
Y396.07CL 245x255x70	Y296.07CL 405x255x70	Y196.07CL 485x255x70	Y197.07CL 540x255x70
Y396.10CL 245x255x100	Y296.10CL 405x255x100	Y196.10CL 485x255x100	Y197.10CL 540x255x100




Lid

Y394.01 215x240	Y294.01 375x240	Y194.01 455x240	Y195.01 510x240
--------------------	--------------------	--------------------	--------------------

Product Details

Base & Lid
Welded Wire Mesh



Side Plate
Perforated Sheet

SPECIFIC

Plain Weave



Types

Outside Dimensions (mm)
Inside Dimensions (mm)




Base & Lid

Type 1	Type 2	Type 3
Y590.01 125x110x50	Y398.03 270x170x30	Y297.04 340x250x40
Y590.03 125x110x70	Y398.05 270x170x50	Y298.04 440x250x40
Y590.04 195x70x40	Y398.07 270x170x70	Y298.08 440x250x80
Y590.05 220x125x40	Y398.10 270x170x100	Y299.08 460x320x80
Y590.06 265x120x30		
Y590.07 265x120x40		
Y590.08 265x120x50		
Y590.10 265x120x70		

Product Details

Base & Lid
Plain Weave



Side Plate
Perforated Sheet



WIRE BASKETS

Standard Model

90-94

Wide Body

95



Intermediate Crimp

Mesh Dimensions 5x5 mm

Range of Mesh 1 mm



Plain Weave

Mesh Dimensions 4x4 mm

Range of Mesh 1 mm



Welded Wire Mesh

Mesh Dimensions 6x6 mm


Range of Mesh 1.2 mm



Fine Mesh


Mesh Dimensions 2x2 mm

Range of Mesh 1 mm



STANDARD

Intermediate Crimp



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base



Lid

Half Size	Middle Size	DIN Size	Full Size
Y390.03 245x255x30	Y290.03 405x255x30	Y190.03 485x255x30	Y191.03 540x255x30
Y390.05 245x255x50	Y290.05 405x255x50	Y190.05 485x255x50	Y191.05 540x255x50
Y390.07 245x255x70	Y290.07 405x255x70	Y190.07 485x255x70	Y191.07 540x255x70
Y390.10 245x255x100	Y290.10 405x255x100	Y190.10 485x255x100	Y191.10 540x255x100

Y390.01 215x240	Y290.01 375x240	Y190.01 455x240	Y191.01 510x240
--------------------	--------------------	--------------------	--------------------


Product Details

Base & Lid
Intermediate Crimp



STANDARD

Plain Weave



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base



Lid

Half Size	Middle Size	DIN Size	Full Size
Y392.03 245x255x30	Y292.03 405x255x30	Y192.03 485x255x30	Y193.03 540x255x30
Y392.05 245x255x50	Y292.05 405x255x50	Y192.05 485x255x50	Y193.05 540x255x50
Y392.07 245x255x70	Y292.07 405x255x70	Y192.07 485x255x70	Y193.07 540x255x70
Y392.10 245x255x100	Y292.10 405x255x100	Y192.10 485x255x100	Y193.10 540x255x100


..... Product Details

Base & Lid
Plain Weave



STANDARD

Welded Wire Mesh



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base




Lid

Half Size	Middle Size	DIN Size	Full Size
Y394.03 245x255x30	Y294.03 405x255x30	Y194.03 485x255x30	Y195.03 540x255x30
Y394.05 245x255x50	Y294.05 405x255x50	Y194.05 485x255x50	Y195.05 540x255x50
Y394.07 245x255x70	Y294.07 405x255x70	Y194.07 485x255x70	Y195.07 540x255x70
Y394.10 245x255x100	Y294.10 405x255x100	Y194.10 485x255x100	Y195.10 540x255x100


..... Product Details

Base & Lid
Welded Wire Mesh



STANDARD

Optic Wire Baskets



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base & Lid

Single Scope

Y690.02
290x80x55


Y690.04
460x80x55

Y690.06
670x80x55

Double Scope

Y690.03
290x80x55

Y690.05
460x80x55



Silicone Holder
(Type 1)



Base & Lid

Single Scope

Y691.02
290x80x55

Y691.04
460x80x55

Double Scope

Y691.03
290x80x55


Y691.05
460x80x55



Silicone Holder
(Type 2)

STANDARD

Mini & Dental Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base

Mini Model
(Intermediate Crimp)

Y490.05
265x120x45

Mini Model
(Plain Weave)

Y492.05
265x120x45




Base

Dental Model
(Intermediate Crimp)

Y590.12
270x170x45

Dental Model
(Plain Weave)

Y590.13
270x170x45



Fine Mesh Baskets



Base & Lid

Y591.01
80x80x40

Y591.03
145x150x50


Y591.07
220x140x50

Y591.08
275x175x35

Y591.09
280x170x60



Base & Lid
Fine Wire Mesh



Wide Body Wire Baskets

Types

Outside Dimensions (mm)
Inside Dimensions (mm)




Base

Wide Body
(Intermediate Crimp)

Y190.55
470x337x51

Y191.60
533x337x101




Surgical Laundry Baskets



Base

Y693.02
605x405x150

Y693.04
605x405x300



COMPONENTS

Container Components

98-99

Tray & Basket Components

100-105





Filter Retainer
(For W/S Series)
Y809.00



Filter Retainer
(For M Series)
Y808.00



Filter Retainer
(For Mini & Dental Containers)
Y805.11



Filter Retainer
(For Mini Dental Container)
Y805.20



Security Seal
Y819.00
100 Pcs.



Security Seal
(Service)
Y819.01
100 Pcs.

COMPONENTS

Container Components



Paper Filter
(For 1/1, 3/4, 1/2 Size)

Y800.00
100 Pcs.



Paper Filter
(For Mini & Dental Containers)

Y802.00
100 Pcs.



Paper Filter
(For Mini Dental Container)

Y803.00
100 Pcs.



PTFE Filter
(For 1/1, 3/4, 1/2 Size)

Y800.10



PTFE Filter
(For Mini & Dental Containers)

Y802.10



PTFE Filter
(For Mini Dental Container)

Y803.10



Identification Labels

- Y820.11
- Y820.12
- Y820.13
- Y820.14
- Y820.15
- Y820.16



Identification Labels
(For M Series)

- Y820.11M
- Y820.12M
- Y820.13M
- Y820.14M
- Y820.15M
- Y820.16M




Indicators
(Paper)


- Y810.00 100 Pcs.
- Y810.01 100 Pcs.
- Y812.00 100 Pcs.

Silicone Mats


Code	Outside Dimensions
Y850.11	270x125 mm
Y852.01	225x235 mm
Y852.11	375x235 mm
Y852.21	450x235 mm (DIN)
Y852.31	500x235 mm




Silicone Mat
(Type 1 - Blue)



Code	Outside Dimensions
Y853.11	260x125 mm
Y853.21	225x235 mm
Y853.31	370x235 mm
Y853.51	500x235 mm




Silicone Mat
(Type 2 - Blue)



COMPONENTS

Holders & Endoscopic Racks

Y843.06
Endoscopic Rack
485 x 235 x 160 mm



Silicone Holder
(For Optic Wire Baskets)

- 40x17x6,5 mm Y858.03
- 70x17x6,5 mm Y858.04
- Complete Y858.00



Silicone Holder
(For Optic Wire Baskets)

- 54x17x6,5 mm Y859.04
- 68x17x6,5 mm Y859.06
- 80,5x17x6,5 mm Y859.07
- Complete Y859.00




Silicone Holder
(For Adjustable Racks)

- 226x17 mm Y857.01
- 226x17 mm Y857.03


- 230x220x40mm Complete Y843.04
- 1 pcs Y857.01
- 2 pcs Y857.03




*Dimensions: length x width x height



KERRISON Rack
(For 8 Kerrisons)
240x230x170 mm Y843.08
(Suitable for 1/2 Containers)




KERRISON Rack
(For 17 Kerrisons)
400x245x170 mm Y843.09
(Suitable for 3/4 Containers)



Y857.80
17x25x40 mm

Y857.70
17x100x40 mm

Y857.71
17x225x40 mm



Y857.30
17x25x40 mm

Y857.10
17x100x40 mm


Y857.20
17x225x40 mm



Y857.83
17x25x40 mm

Y857.73
17x100x40 mm


Y857.74
17x225x40 mm



Y 857.33
17x25x40 mm

Y857.13
17x100x40 mm


Y857.23
17x225x40 mm



Y857.85
17x25x40 mm

Y857.75
17x100x40 mm

Y857.76
17x225x40 mm



Y857.35
17x25x40 mm

Y857.15
17x100x40 mm

Y857.25
17x225x40 mm



Y857.70P
12x25x3 mm

Y857.71P
12x100x3 mm

Y857.72P
12x225x3 mm

COMPONENTS

Silicone Holders



Y857.40
17x25x37mm
Ø12mm



Y857.41
17x25x37 mm
Ø14mm



Y857.90
17x25x37 mm
Ø12mm



Y857.91
17x25x37 mm
Ø14mm



Y857.42
17x25x30 mm
Ø12mm



Y857.43
17x25x30 mm
Ø14mm



Y857.92
17x25x30 mm
Ø12mm



Y857.93
17x25x30 mm
Ø14mm



Y857.44
17x24x21 mm
Ø5mm




Y857.45
17x24x21 mm
Ø10mm



Y857.94
17x24x21 mm
Ø5mm



Y857.95
17x24x21 mm
Ø10mm





Y857.47
17x225x21 mm
Ø10mm - Ø5mm

It can be used with
endoscopic rack "Y843.06" if
desired



*Dimensions: width x length x height

Hanging Trays



Base

Code


Outside Dimensions

Y480.20	254x70x30 mm
Y480.22	254x120x30 mm
Y480.24	254x170x30 mm
Y480.26	254x240x30 mm

Compatible with standard tray and basket series.




Individually usable for sterilization requirements.




COMPONENTS

Separators

Non-Sliding



Sliding



Code
















Outside Dimensions

Y844.01	230x240x45mm
Y844.02	390x240x45mm
Y844.03	470x240x45mm
Y844.04	530x240x45mm

Code

Outside Dimensions

Y844.11	230x240x45mm
Y844.12	390x240x45mm
Y844.13	470x240x45mm
Y844.14	530x240x45mm

Type	Packing		Steam sterilization procedure acc. To DIN EN 868-8:2009-09				
	Description	Symbolic Delivery and Packaging System	Gravity Procedure	Pre-Vacuum Procedure	Fractional Vacuum Procedure	Fractional Flow Procedure	Steam Injection Procedure
With filters (StB-F)	Textiles in sterilization container with filter in lid and bottom acc. To DIN EN 868-8:2009-09		+	+	+	+	+
			0	0	+	+	+
	Textiles in sterilization container with filter in lid, bottom not perforated to DIN EN 868-8:2009-09		-	-	+	+	+
			-	-	+	+	0
	Textiles in sterilization container with filter in bottom, lid not perforated to DIN EN 868-8:2009-09		0	+	+	+	+
			-	0	+	+	+
	Instruments in wire basket acc. To DIN 58952 part III, in sterilization container with filter in lid and bottom acc. To DIN EN 868-8:2009-09		+	+	+	+	+
	Instruments in wire basket acc. To DIN 58952 part III, in sterilization container with filter in lid and bottom not perforated acc. To DIN EN 868-8:2009-09		-	+	+	+	+
	Instruments in wire basket acc. To DIN 58952 part III, in sterilization container with filter in bottom acc. To DIN EN 868-8:2009-09		0	+	+	+	+
	With valve (StB-V)	Textiles in sterilization container with valves in lid and bottom acc. To DIN EN 868-8:2009-09		-	0	+	+
			-	-	+	+	0
Textiles in sterilization container with valves in lid, no valves on the bottom			-	-	+	+	-
			-	-	+	+	-
Instruments in wire basket in sterilization container with valve in lid and bottom			-	+	+	+	+
Instruments in wire basket in sterilization container with valve in lid no valves on the bottom			-	+	+	+	+

INDEX

Numerical

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y100.01	37	Y100.52	61	Y103.03B	55	Y105.15M4	27	Y106.10M1	27
Y100.01	55	Y100.53	49	Y103.04B	37	Y105.15M5	27	Y106.10M2	27
Y100.01B	43	Y100.53	61	Y103.04B	55	Y105.15M6	27	Y106.10M3	27
Y100.01P	43	Y100.54	49	Y103.05B	37	Y105.15M7	27	Y106.10M4	27
Y100.01V	43	Y100.54	61	Y103.05B	55	Y105.15W	37	Y106.10M5	27
Y100.02	37	Y100.55	49	Y103.06B	37	Y105.15W	43	Y106.10M6	27
Y100.02	55	Y100.55	61	Y103.06B	55	Y105.15W	51	Y106.10M7	27
Y100.02B	43	Y100.56	49	Y103.07M	27	Y105.20	55	Y106.10W	37
Y100.02P	43	Y100.56	61	Y105.10	55	Y105.20M1	27	Y106.13	55
Y100.02V	43	Y100.71	48	Y105.10M1	27	Y105.20M2	27	Y106.13M1	27
Y100.03	37	Y100.72	48	Y105.10M2	27	Y105.20M3	27	Y106.13M2	27
Y100.03	55	Y100.73	48	Y105.10M3	27	Y105.20M4	27	Y106.13M3	27
Y100.03B	43	Y100.74	48	Y105.10M4	27	Y105.20M5	27	Y106.13M4	27
Y100.03P	43	Y100.75	48	Y105.10M5	27	Y105.20M6	27	Y106.13M5	27
Y100.03V	43	Y100.76	48	Y105.10M6	27	Y105.20M7	27	Y106.13M6	27
Y100.04	37	Y100.97M	33	Y105.10M7	27	Y105.20W	37	Y106.13M7	27
Y100.04	55	Y102.01	51	Y105.10W	37	Y105.20W	43	Y106.13W	37
Y100.04B	43	Y102.01	63	Y105.10W	43	Y105.26	55	Y106.15	55
Y100.04P	43	Y102.02	51	Y105.13	55	Y105.26M1	27	Y106.15M1	27
Y100.04V	43	Y102.02	63	Y105.13M1	27	Y105.26M2	27	Y106.15M2	27
Y100.05	37	Y102.03	51	Y105.13M2	27	Y105.26M3	27	Y106.15M3	27
Y100.05	55	Y102.03	63	Y105.13M3	27	Y105.26M4	27	Y106.15M4	27
Y100.05B	43	Y102.04	51	Y105.13M4	27	Y105.26M5	27	Y106.15M5	27
Y100.05P	43	Y102.04	63	Y105.13M5	27	Y105.26M6	27	Y106.15M6	27
Y100.05V	43	Y102.05	51	Y105.13M6	27	Y105.26M7	27	Y106.15M7	27
Y100.06	37	Y102.05	63	Y105.13M7	27	Y105.26W	37	Y106.15W	37
Y100.06	55	Y102.06	51	Y105.13W	37	Y105.26W	43	Y106.20	55
Y100.06B	43	Y102.06	63	Y105.13W	43	Y105.62	61	Y106.20M1	27
Y100.06P	43	Y103.01B	37	Y105.15	55	Y105.62W	49	Y106.20M2	27
Y100.06V	43	Y103.01B	55	Y105.15	63	Y105.68	61	Y106.20M3	27
Y100.51	49	Y103.02B	37	Y105.15M1	27	Y105.68W	49	Y106.20M4	27
Y100.51	61	Y103.02B	55	Y105.15M2	27	Y105.70W	48	Y106.20M5	27
Y100.52	49	Y103.03B	37	Y105.15M3	27	Y106.10	55	Y106.20M6	27

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y106.20M7	27	Y110.70W	48	Y120.10WP	42	Y122.20	54	Y131.26	54
Y106.20W	37	Y111.10	54	Y120.10WV	42	Y122.20M	26	Y131.26W	36
Y106.26	55	Y111.10W	36	Y120.13	54	Y122.20W	36	Y131.62	60
Y106.26M1	27	Y111.13	54	Y120.13W	36	Y122.26	54	Y131.62W	49
Y106.26M2	27	Y111.13W	36	Y120.13WB	42	Y122.26M	26	Y131.70W	48
Y106.26M3	27	Y111.15	54	Y120.13WP	42	Y122.26W	36	Y131.92M	32
Y106.26M4	27	Y111.15W	36	Y120.13WV	42	Y123.10	54	Y132.10	54
Y106.26M5	27	Y111.20	54	Y120.15	54	Y123.10M	26	Y132.10M	26
Y106.26M6	27	Y111.20W	36	Y120.15W	36	Y123.10W	36	Y132.10W	36
Y106.26M7	27	Y111.26	54	Y120.15WB	42	Y123.13	54	Y132.15	54
Y106.26W	37	Y111.26W	36	Y120.15WP	42	Y123.13M	26	Y132.15M	26
Y106.62	61	Y111.62	60	Y120.15WV	42	Y123.13W	36	Y132.15W	36
Y106.62W	49	Y111.62W	49	Y120.20	54	Y123.15	54	Y132.20	54
Y106.68	61	Y111.68	60	Y120.20W	36	Y123.15M	26	Y132.20M	26
Y106.68W	49	Y111.68W	49	Y120.20WB	42	Y123.15W	36	Y132.20W	36
Y106.70W	48	Y111.70W	48	Y120.20WP	42	Y123.20	54	Y132.26	54
Y106.92M1	33	Y111.92M	32	Y120.20WV	42	Y123.20M	26	Y132.26M	26
Y106.92M2	33	Y112.10	54	Y120.26	54	Y123.20W	36	Y132.26W	36
Y106.92M3	33	Y112.10M	26	Y120.26W	36	Y123.26	54	Y133.10	54
Y106.92M4	33	Y112.10W	36	Y120.26WB	42	Y123.26M	26	Y133.10M	26
Y106.92M5	33	Y112.13	54	Y120.26WP	42	Y123.26W	36	Y133.10W	36
Y106.92M6	33	Y112.13M	26	Y120.26WV	42	Y125.15	63	Y133.15	54
Y106.92M7	33	Y112.13W	36	Y120.62	60	Y125.15W	51	Y133.15M	26
Y110.10	54	Y112.15	54	Y120.62W	49	Y130.10	54	Y133.15W	36
Y110.10W	36	Y112.15M	26	Y120.68	60	Y130.10W	36	Y133.20	54
Y110.10WB	42	Y112.15W	36	Y120.68W	49	Y130.10WB	42	Y133.20M	26
Y110.10WP	42	Y112.20	54	Y120.70W	48	Y130.10WP	42	Y133.20W	36
Y110.10WV	42	Y112.20M	26	Y121.10	54	Y130.10WV	42	Y133.26	54
Y110.13	54	Y112.20W	36	Y121.10W	36	Y130.15	54	Y133.26M	26
Y110.13W	36	Y112.26	54	Y121.13	54	Y130.15W	36	Y133.26W	36
Y110.13WB	42	Y112.26M	26	Y121.13W	36	Y130.15WB	42	Y135.15	63
Y110.13WP	42	Y112.26W	36	Y121.15	54	Y130.15WP	42	Y135.15W	51
Y110.13WV	42	Y113.10	54	Y121.15W	36	Y130.15WV	42	Y140.10	54
Y110.15	54	Y113.10M	26	Y121.20	54	Y130.20	54	Y140.10W	36
Y110.15W	36	Y113.10W	36	Y121.20W	36	Y130.20W	36	Y140.10WB	42
Y110.15WB	42	Y113.13	54	Y121.26	54	Y130.20WB	42	Y140.10WP	42
Y110.15WP	42	Y113.13M	26	Y121.26W	36	Y130.20WP	42	Y140.10WV	42
Y110.15WV	42	Y113.13W	36	Y121.62	60	Y130.20WV	42	Y140.13	54
Y110.20	54	Y113.15	54	Y121.62W	49	Y130.26	54	Y140.13W	36
Y110.20W	36	Y113.15M	26	Y121.68	60	Y130.26W	36	Y140.13WB	42
Y110.20WB	42	Y113.15W	36	Y121.68W	49	Y130.26WB	42	Y140.13WP	42
Y110.20WP	42	Y113.20	54	Y121.70W	48	Y130.26WP	42	Y140.13WV	42
Y110.20WV	42	Y113.20M	26	Y121.92M	32	Y130.26WV	42	Y140.15	54
Y110.26	54	Y113.20W	36	Y122.10	54	Y130.62	60	Y140.15W	36
Y110.26W	36	Y113.26	54	Y122.10M	26	Y130.62W	49	Y140.15WB	42
Y110.26WB	42	Y113.26M	26	Y122.10W	36	Y130.70W	48	Y140.15WP	42
Y110.26WP	42	Y113.26W	36	Y122.13	54	Y131.10	54	Y140.15WV	42
Y110.26WV	42	Y115.15	63	Y122.13M	26	Y131.10W	36	Y140.20	54
Y110.62	60	Y115.15W	51	Y122.13W	36	Y131.15	54	Y140.20W	36
Y110.62W	49	Y120.10	54	Y122.15	54	Y131.15W	36	Y140.20WB	42
Y110.68	60	Y120.10W	36	Y122.15M	26	Y131.20	54	Y140.20WP	42
Y110.68W	49	Y120.10WB	42	Y122.15W	36	Y131.20W	36	Y140.20WV	42

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y140.26	54	Y143.20W	36	Y152.10	54	Y160.26	54	Y163.20W	36
Y140.26W	36	Y143.26	54	Y152.10M	26	Y160.26W	36	Y163.26	54
Y140.26WB	42	Y143.26M	26	Y152.10W	36	Y160.26WB	42	Y163.26M	26
Y140.26WP	42	Y143.26W	36	Y152.13	54	Y160.26WP	42	Y163.26W	36
Y140.26WV	42	Y145.15	63	Y152.13M	26	Y160.26WV	42	Y165.15	63
Y140.62	60	Y145.15W	51	Y152.13W	36	Y160.62	60	Y165.15W	51
Y140.62W	49	Y150.10	54	Y152.15	54	Y160.62W	49	Y171.92M	32
Y140.68	60	Y150.10W	36	Y152.15M	26	Y160.68	60	Y172.10M	26
Y140.68W	49	Y150.10WB	42	Y152.15W	36	Y160.68W	49	Y172.13M	26
Y140.70W	48	Y150.10WP	42	Y152.20	54	Y160.70W	48	Y172.15M	26
Y141.10	54	Y150.10WV	42	Y152.20M	26	Y161.10	54	Y172.20M	26
Y141.10W	36	Y150.13	54	Y152.20W	36	Y161.10W	36	Y172.26M	26
Y141.13	54	Y150.13W	36	Y152.26	54	Y161.13	54	Y173.10M	26
Y141.13W	36	Y150.13WB	42	Y152.26M	26	Y161.13W	36	Y173.13M	26
Y141.15	54	Y150.13WP	42	Y152.26W	36	Y161.15	54	Y173.15M	26
Y141.15W	36	Y150.13WV	42	Y153.10	54	Y161.15W	36	Y173.20M	26
Y141.20	54	Y150.15	54	Y153.10M	26	Y161.20	54	Y173.26M	26
Y141.20W	36	Y150.15W	36	Y153.10W	36	Y161.20W	36	Y180.01	78
Y141.26	54	Y150.15WB	42	Y153.13	54	Y161.26	54	Y180.03	78
Y141.26W	36	Y150.15WP	42	Y153.13M	26	Y161.26W	36	Y180.03F	78
Y141.62	60	Y150.15WV	42	Y153.13W	36	Y161.62	60	Y180.03FL	78
Y141.62W	49	Y150.20	54	Y153.15	54	Y161.62W	49	Y180.03L	78
Y141.68	60	Y150.20W	36	Y153.15M	26	Y161.68	60	Y180.05	78
Y141.68W	49	Y150.20WB	42	Y153.15W	36	Y161.68W	49	Y180.05F	78
Y141.70W	48	Y150.20WP	42	Y153.20	54	Y161.70W	48	Y180.05FL	78
Y141.92M	32	Y150.20WV	42	Y153.20M	26	Y161.92M	32	Y180.05L	78
Y142.10	54	Y150.26	54	Y153.20W	36	Y162.10	54	Y180.07	78
Y142.10M	26	Y150.26W	36	Y153.26	54	Y162.10M	26	Y180.07F	78
Y142.10W	36	Y150.26WB	42	Y153.26M	26	Y162.10W	36	Y180.07FL	78
Y142.13	54	Y150.26WP	42	Y153.26W	36	Y162.13	54	Y180.07L	78
Y142.13M	26	Y150.26WV	42	Y155.15	63	Y162.13M	26	Y180.10	78
Y142.13W	36	Y150.62	60	Y155.15W	51	Y162.13W	36	Y180.10F	78
Y142.15	54	Y150.62W	49	Y160.10	54	Y162.15	54	Y180.10FL	78
Y142.15M	26	Y150.68	60	Y160.10W	36	Y162.15M	26	Y180.10L	78
Y142.15W	36	Y150.68W	49	Y160.10WB	42	Y162.15W	36	Y181.01	78
Y142.20	54	Y150.70W	48	Y160.10WP	42	Y162.20	54	Y181.03	78
Y142.20M	26	Y151.10	54	Y160.10WV	42	Y162.20M	26	Y181.03F	78
Y142.20W	36	Y151.10W	36	Y160.13	54	Y162.20W	36	Y181.03FL	78
Y142.26	54	Y151.13	54	Y160.13W	36	Y162.26	54	Y181.03L	78
Y142.26M	26	Y151.13W	36	Y160.13WB	42	Y162.26M	26	Y181.05	78
Y142.26W	36	Y151.15	54	Y160.13WP	42	Y162.26W	36	Y181.05F	78
Y143.10	54	Y151.15W	36	Y160.13WV	42	Y163.10	54	Y181.05FL	78
Y143.10M	26	Y151.20	54	Y160.15	54	Y163.10M	26	Y181.05L	78
Y143.10W	36	Y151.20W	36	Y160.15W	36	Y163.10W	36	Y181.07	78
Y143.13	54	Y151.26	54	Y160.15WB	42	Y163.13	54	Y181.07F	78
Y143.13M	26	Y151.26W	36	Y160.15WP	42	Y163.13M	26	Y181.07FL	78
Y143.13W	36	Y151.62	60	Y160.15WV	42	Y163.13W	36	Y181.07L	78
Y143.15	54	Y151.62W	49	Y160.20	54	Y163.15	54	Y181.10	78
Y143.15M	26	Y151.68	60	Y160.20W	36	Y163.15M	26	Y181.10F	78
Y143.15W	36	Y151.68W	49	Y160.20WB	42	Y163.15W	36	Y181.10FL	78
Y143.20	54	Y151.70W	48	Y160.20WP	42	Y163.20	54	Y181.10L	78
Y143.20M	26	Y151.92M	32	Y160.20WV	42	Y163.20M	26	Y182.01	78

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y182.03	78	Y192.10	91	Y197.06BL	85	Y203.04B	57	Y206.10M6	29
Y182.03F	78	Y193.01	85	Y197.06C	86	Y203.05B	39	Y206.10M7	29
Y182.03FL	78	Y193.01	91	Y197.06CL	86	Y203.05B	57	Y206.10W	39
Y182.03L	78	Y193.03	91	Y197.07A	84	Y203.06B	39	Y206.13	57
Y182.05	78	Y193.05	91	Y197.07AL	84	Y203.06B	57	Y206.13M1	29
Y182.05F	78	Y193.07	91	Y197.07B	85	Y203.07M	29	Y206.13M2	29
Y182.05FL	78	Y193.10	91	Y197.07BL	85	Y205.10	57	Y206.13M3	29
Y182.05L	78	Y194.01	86	Y197.07C	86	Y205.10M1	29	Y206.13M4	29
Y182.07	78	Y194.01	92	Y197.07CL	86	Y205.10M2	29	Y206.13M5	29
Y182.07F	78	Y194.03	92	Y197.10A	84	Y205.10M3	29	Y206.13M6	29
Y182.07FL	78	Y194.05	92	Y197.10AL	84	Y205.10M4	29	Y206.13M7	29
Y182.07L	78	Y194.07	92	Y197.10B	85	Y205.10M5	29	Y206.13W	39
Y182.10	78	Y194.10	92	Y197.10BL	85	Y205.10M6	29	Y206.15	57
Y182.10F	78	Y195.01	86	Y197.10C	86	Y205.10M7	29	Y206.15M1	29
Y182.10FL	78	Y195.01	92	Y197.10CL	86	Y205.10W	39	Y206.15M2	29
Y182.10L	78	Y195.03	92	Y200.01	39	Y205.10W	45	Y206.15M3	29
Y183.01	78	Y195.05	92	Y200.01	57	Y205.13	57	Y206.15M4	29
Y183.03	78	Y195.07	92	Y200.01B	45	Y205.13M1	29	Y206.15M5	29
Y183.03F	78	Y195.10	92	Y200.01P	45	Y205.13M2	29	Y206.15M6	29
Y183.03FL	78	Y196.05A	84	Y200.01V	45	Y205.13M3	29	Y206.15M7	29
Y183.03L	78	Y196.05AL	84	Y200.02	39	Y205.13M4	29	Y206.15W	39
Y183.05	78	Y196.05B	85	Y200.02	57	Y205.13M5	29	Y206.20	57
Y183.05F	78	Y196.05BL	85	Y200.02B	45	Y205.13M6	29	Y206.20M1	29
Y183.05FL	78	Y196.05C	86	Y200.02P	45	Y205.13M7	29	Y206.20M2	29
Y183.05L	78	Y196.05CL	86	Y200.02V	45	Y205.13W	39	Y206.20M3	29
Y183.07	78	Y196.06A	84	Y200.03	39	Y205.13W	45	Y206.20M4	29
Y183.07F	78	Y196.06AL	84	Y200.03	57	Y205.15	57	Y206.20M5	29
Y183.07FL	78	Y196.06B	85	Y200.03B	45	Y205.15M1	29	Y206.20M6	29
Y183.07L	78	Y196.06BL	85	Y200.03P	45	Y205.15M2	29	Y206.20M7	29
Y183.10	78	Y196.06C	86	Y200.03V	45	Y205.15M3	29	Y206.20W	39
Y183.10F	78	Y196.06CL	86	Y200.04	39	Y205.15M4	29	Y210.10	56
Y183.10FL	78	Y196.07A	84	Y200.04	57	Y205.15M5	29	Y210.10W	38
Y183.10L	78	Y196.07AL	84	Y200.04B	45	Y205.15M6	29	Y210.10WB	44
Y190.01	84	Y196.07B	85	Y200.04P	45	Y205.15M7	29	Y210.10WP	44
Y190.01	90	Y196.07BL	85	Y200.04V	45	Y205.15W	39	Y210.10WV	44
Y190.03	90	Y196.07C	86	Y200.05	39	Y205.15W	45	Y210.13	56
Y190.05	90	Y196.07CL	86	Y200.05	57	Y205.20	57	Y210.13W	38
Y190.07	90	Y196.10A	84	Y200.05B	45	Y205.20M1	29	Y210.13WB	44
Y190.10	90	Y196.10AL	84	Y200.05P	45	Y205.20M2	29	Y210.13WP	44
Y190.55	95	Y196.10B	85	Y200.05V	45	Y205.20M3	29	Y210.13WV	44
Y191.01	84	Y196.10BL	85	Y200.06	39	Y205.20M4	29	Y210.15	56
Y191.01	90	Y196.10C	86	Y200.06	57	Y205.20M5	29	Y210.15W	38
Y191.03	90	Y196.10CL	86	Y200.06B	45	Y205.20M6	29	Y210.15WB	44
Y191.05	90	Y197.05A	84	Y200.06P	45	Y205.20M7	29	Y210.15WP	44
Y191.07	90	Y197.05AL	84	Y200.06V	45	Y205.20W	39	Y210.15WV	44
Y191.10	90	Y197.05B	85	Y203.01B	39	Y205.20W	45	Y210.20	56
Y191.60	95	Y197.05BL	85	Y203.01B	57	Y206.10	57	Y210.20W	38
Y192.01	85	Y197.05C	86	Y203.02B	39	Y206.10M1	29	Y210.20WB	44
Y192.01	91	Y197.05CL	86	Y203.02B	57	Y206.10M2	29	Y210.20WP	44
Y192.03	91	Y197.06A	84	Y203.03B	39	Y206.10M3	29	Y210.20WV	44
Y192.05	91	Y197.06AL	84	Y203.03B	57	Y206.10M4	29	Y211.10	56
Y192.07	91	Y197.06B	85	Y203.04B	39	Y206.10M5	29	Y211.10W	38

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y211.13	56	Y221.13	56	Y232.10M	28	Y242.15M	28	Y252.15M	28
Y211.13W	38	Y221.13W	38	Y232.10W	38	Y242.15W	38	Y252.15W	38
Y211.15	56	Y221.15	56	Y232.15	56	Y242.20	56	Y252.20	56
Y211.15W	38	Y221.15W	38	Y232.15M	28	Y242.20M	28	Y252.20M	28
Y211.20	56	Y221.20	56	Y232.15W	38	Y242.20W	38	Y252.20W	38
Y211.20W	38	Y221.20W	38	Y232.20	56	Y243.10	56	Y253.10	56
Y212.10	56	Y222.10	56	Y232.20M	28	Y243.10M	28	Y253.10M	28
Y212.10M	28	Y222.10M	28	Y232.20W	38	Y243.10W	38	Y253.10W	38
Y212.10W	38	Y222.10W	38	Y233.10	56	Y243.13	56	Y253.13	56
Y212.13	56	Y222.13	56	Y233.10M	28	Y243.13M	28	Y253.13M	28
Y212.13M	28	Y222.13M	28	Y233.10W	38	Y243.13W	38	Y253.13W	38
Y212.13W	38	Y222.13W	38	Y233.15	56	Y243.15	56	Y253.15	56
Y212.15	56	Y222.15	56	Y233.15M	28	Y243.15M	28	Y253.15M	28
Y212.15M	28	Y222.15M	28	Y233.15W	38	Y243.15W	38	Y253.15W	38
Y212.15W	38	Y222.15W	38	Y233.20	56	Y243.20	56	Y253.20	56
Y212.20	56	Y222.20	56	Y233.20M	28	Y243.20M	28	Y253.20M	28
Y212.20M	28	Y222.20M	28	Y233.20W	38	Y243.20W	38	Y253.20W	38
Y212.20W	38	Y222.20W	38	Y240.10	56	Y250.10	56	Y260.10	56
Y213.10	56	Y223.10	56	Y240.10W	38	Y250.10W	38	Y260.10W	38
Y213.10M	28	Y223.10M	28	Y240.10WB	44	Y250.10WB	44	Y260.10WB	44
Y213.10W	38	Y223.10W	38	Y240.10WP	44	Y250.10WP	44	Y260.10WP	44
Y213.13	56	Y223.13	56	Y240.10WV	44	Y250.10WV	44	Y260.10WV	44
Y213.13M	28	Y223.13M	28	Y240.13	56	Y250.13	56	Y260.13	56
Y213.13W	38	Y223.13W	38	Y240.13W	38	Y250.13W	38	Y260.13W	38
Y213.15	56	Y223.15	56	Y240.13WB	44	Y250.13WB	44	Y260.13WB	44
Y213.15M	28	Y223.15M	28	Y240.13WP	44	Y250.13WP	44	Y260.13WP	44
Y213.15W	38	Y223.15W	38	Y240.13WV	44	Y250.13WV	44	Y260.13WV	44
Y213.20	56	Y223.20	56	Y240.15	56	Y250.15	56	Y260.15	56
Y213.20M	28	Y223.20M	28	Y240.15W	38	Y250.15W	38	Y260.15W	38
Y213.20W	38	Y223.20W	38	Y240.15WB	44	Y250.15WB	44	Y260.15WB	44
Y220.10	56	Y230.10	56	Y240.15WP	44	Y250.15WP	44	Y260.15WP	44
Y220.10W	38	Y230.10W	38	Y240.15WV	44	Y250.15WV	44	Y260.15WV	44
Y220.10WB	44	Y230.10WB	44	Y240.20	56	Y250.20	56	Y260.20	56
Y220.10WP	44	Y230.10WP	44	Y240.20W	38	Y250.20W	38	Y260.20W	38
Y220.10WV	44	Y230.10WV	44	Y240.20WB	44	Y250.20WB	44	Y260.20WB	44
Y220.13	56	Y230.15	56	Y240.20WP	44	Y250.20WP	44	Y260.20WP	44
Y220.13W	38	Y230.15W	38	Y240.20WV	44	Y250.20WV	44	Y260.20WV	44
Y220.13WB	44	Y230.15WB	44	Y241.10	56	Y251.10	56	Y261.10	56
Y220.13WP	44	Y230.15WP	44	Y241.10W	38	Y251.10W	38	Y261.10W	38
Y220.13WV	44	Y230.15WV	44	Y241.13	56	Y251.13	56	Y261.13	56
Y220.15	56	Y230.20	56	Y241.13W	38	Y251.13W	38	Y261.13W	38
Y220.15W	38	Y230.20W	38	Y241.15	56	Y251.15	56	Y261.15	56
Y220.15WB	44	Y230.20WB	44	Y241.15W	38	Y251.15W	38	Y261.15W	38
Y220.15WP	44	Y230.20WP	44	Y241.20	56	Y251.20	56	Y261.20	56
Y220.15WV	44	Y230.20WV	44	Y241.20W	38	Y251.20W	38	Y261.20W	38
Y220.20	56	Y231.10	56	Y242.10	56	Y252.10	56	Y262.10	56
Y220.20W	38	Y231.10W	38	Y242.10M	28	Y252.10M	28	Y262.10M	28
Y220.20WB	44	Y231.15	56	Y242.10W	38	Y252.10W	38	Y262.10W	38
Y220.20WP	44	Y231.15W	38	Y242.13	56	Y252.13	56	Y262.13	56
Y220.20WV	44	Y231.20	56	Y242.13M	28	Y252.13M	28	Y262.13M	28
Y221.10	56	Y231.20W	38	Y242.13W	38	Y252.13W	38	Y262.13W	38
Y221.10W	38	Y232.10	56	Y242.15	56	Y252.15	56	Y262.15	56

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y262.15M.....	28	Y296.05A	84	Y302.01.....	50	Y305.13M7.....	31	Y306.13M7.....	31
Y262.15W.....	38	Y296.05AL.....	84	Y302.01.....	62	Y305.13W.....	41	Y306.13W.....	41
Y262.20.....	56	Y296.05B.....	85	Y302.02.....	50	Y305.13W.....	47	Y306.15.....	59
Y262.20M.....	28	Y296.05BL.....	85	Y302.02.....	62	Y305.15.....	59	Y306.15M1.....	31
Y262.20W.....	38	Y296.05C.....	86	Y302.03.....	50	Y305.15.....	62	Y306.15M2.....	31
Y263.10.....	56	Y296.05CL.....	86	Y302.03.....	62	Y305.15M1.....	31	Y306.15M3.....	31
Y263.10M.....	28	Y296.06A.....	84	Y302.04.....	50	Y305.15M2.....	31	Y306.15M4.....	31
Y263.10W.....	38	Y296.06AL.....	84	Y302.04.....	62	Y305.15M3.....	31	Y306.15M5.....	31
Y263.13.....	56	Y296.06B.....	85	Y302.05.....	50	Y305.15M4.....	31	Y306.15M6.....	31
Y263.13M.....	28	Y296.06BL.....	85	Y302.05.....	62	Y305.15M5.....	31	Y306.15M7.....	31
Y263.13W.....	38	Y296.06C.....	86	Y302.06.....	50	Y305.15M6.....	31	Y306.15W.....	41
Y263.15.....	56	Y296.06CL.....	86	Y302.06.....	62	Y305.15M7.....	31	Y306.20.....	59
Y263.15M.....	28	Y296.10A.....	84	Y303.01B.....	41	Y305.15W.....	41	Y306.20M1.....	31
Y263.15W.....	38	Y296.10AL.....	84	Y303.01B.....	59	Y305.15W.....	47	Y306.20M2.....	31
Y263.20.....	56	Y296.10B.....	85	Y303.02B.....	41	Y305.15W.....	50	Y306.20M3.....	31
Y263.20M.....	28	Y296.10BL.....	85	Y303.02B.....	59	Y305.20.....	59	Y306.20M4.....	31
Y263.20W.....	38	Y296.10C.....	86	Y303.03B.....	41	Y305.20M1.....	31	Y306.20M5.....	31
Y272.10M.....	28	Y296.10CL.....	86	Y303.03B.....	59	Y305.20M2.....	31	Y306.20M6.....	31
Y272.13M.....	28	Y297.04.....	87	Y303.04B.....	41	Y305.20M3.....	31	Y306.20M7.....	31
Y272.15M.....	28	Y298.04.....	87	Y303.04B.....	59	Y305.20M4.....	31	Y306.20W.....	41
Y272.20M.....	28	Y298.08.....	87	Y303.05B.....	41	Y305.20M5.....	31	Y306.26.....	59
Y273.10M.....	28	Y299.08.....	87	Y303.05B.....	59	Y305.20M6.....	31	Y306.26M1.....	31
Y273.13M.....	28	Y300.01.....	41	Y303.06B.....	41	Y305.20M7.....	31	Y306.26M2.....	31
Y273.15M.....	28	Y300.01.....	59	Y303.06B.....	59	Y305.20W.....	41	Y306.26M3.....	31
Y273.20M.....	28	Y300.01B.....	47	Y303.07M.....	31	Y305.20W.....	47	Y306.26M4.....	31
Y280.03.....	78	Y300.01P.....	47	Y304.01A.....	66	Y305.26.....	59	Y306.26M5.....	31
Y280.03F.....	78	Y300.01V.....	47	Y304.02A.....	66	Y305.26M1.....	31	Y306.26M6.....	31
Y280.03FL.....	78	Y300.02.....	41	Y304.03A.....	66	Y305.26M2.....	31	Y306.26M7.....	31
Y280.03L.....	78	Y300.02.....	59	Y304.04A.....	66	Y305.26M3.....	31	Y306.26W.....	41
Y280.05.....	78	Y300.02B.....	47	Y304.05A.....	66	Y305.26M4.....	31	Y310.05A.....	66
Y280.05F.....	78	Y300.02P.....	47	Y304.06A.....	66	Y305.26M5.....	31	Y310.08A.....	66
Y280.05FL.....	78	Y300.02V.....	47	Y305.05A.....	66	Y305.26M6.....	31	Y310.10.....	58
Y280.05L.....	78	Y300.03.....	41	Y305.08A.....	66	Y305.26M7.....	31	Y310.10W.....	40
Y280.10.....	78	Y300.03.....	59	Y305.10.....	59	Y305.26W.....	41	Y310.10WB.....	46
Y280.10F.....	78	Y300.03B.....	47	Y305.10.....	62	Y305.26W.....	47	Y310.10WP.....	46
Y280.10FL.....	78	Y300.03P.....	47	Y305.10M1.....	31	Y306.08A.....	66	Y310.10WV.....	46
Y280.10L.....	78	Y300.03V.....	47	Y305.10M2.....	31	Y306.10.....	59	Y310.13.....	58
Y290.01.....	84	Y300.04.....	41	Y305.10M3.....	31	Y306.10M1.....	31	Y310.13W.....	40
Y290.01.....	90	Y300.04.....	59	Y305.10M4.....	31	Y306.10M2.....	31	Y310.13WB.....	46
Y290.03.....	90	Y300.04B.....	47	Y305.10M5.....	31	Y306.10M3.....	31	Y310.13WP.....	46
Y290.05.....	90	Y300.04P.....	47	Y305.10M6.....	31	Y306.10M4.....	31	Y310.13WV.....	46
Y290.10.....	90	Y300.04V.....	47	Y305.10M7.....	31	Y306.10M5.....	31	Y310.15.....	58
Y292.01.....	85	Y300.05.....	41	Y305.10W.....	41	Y306.10M6.....	31	Y310.15W.....	40
Y292.01.....	91	Y300.05.....	59	Y305.10W.....	47	Y306.10M7.....	31	Y310.15WB.....	46
Y292.03.....	91	Y300.05B.....	47	Y305.10W.....	50	Y306.10W.....	41	Y310.15WP.....	46
Y292.05.....	91	Y300.05P.....	47	Y305.13.....	59	Y306.13.....	59	Y310.15WV.....	46
Y292.10.....	91	Y300.05V.....	47	Y305.13M1.....	31	Y306.13M1.....	31	Y310.20.....	58
Y294.01.....	86	Y300.06.....	41	Y305.13M2.....	31	Y306.13M2.....	31	Y310.20W.....	40
Y294.01.....	92	Y300.06.....	59	Y305.13M3.....	31	Y306.13M3.....	31	Y310.20WB.....	46
Y294.03.....	92	Y300.06B.....	47	Y305.13M4.....	31	Y306.13M4.....	31	Y310.20WP.....	46
Y294.05.....	92	Y300.06P.....	47	Y305.13M5.....	31	Y306.13M5.....	31	Y310.20WV.....	46
Y294.10.....	92	Y300.06V.....	47	Y305.13M6.....	31	Y306.13M6.....	31	Y310.26.....	58

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y310.26W	40	Y320.10W	40	Y323.10W	40	Y332.15W	40	Y341.13W	40
Y310.26WB	46	Y320.10WB	46	Y323.13	58	Y332.20	58	Y341.15	58
Y310.26WP	46	Y320.10WP	46	Y323.13M	30	Y332.20M	30	Y341.15W	40
Y310.26WV	46	Y320.10WV	46	Y323.13W	40	Y332.20W	40	Y341.20	58
Y311.08A	66	Y320.13	58	Y323.15	58	Y332.26	58	Y341.20W	40
Y311.10	58	Y320.13W	40	Y323.15M	30	Y332.26M	30	Y341.26	58
Y311.10W	40	Y320.13WB	46	Y323.15W	40	Y332.26W	40	Y341.26W	40
Y311.13	58	Y320.13WP	46	Y323.20	58	Y333.10	58	Y342.10	58
Y311.13W	40	Y320.13WV	46	Y323.20M	30	Y333.10M	30	Y342.10M	30
Y311.15	58	Y320.15	58	Y323.20W	40	Y333.10W	40	Y342.10W	40
Y311.15W	40	Y320.15W	40	Y323.26	58	Y333.15	58	Y342.13	58
Y311.20	58	Y320.15WB	46	Y323.26M	30	Y333.15M	30	Y342.13M	30
Y311.20W	40	Y320.15WP	46	Y323.26W	40	Y333.15W	40	Y342.13W	40
Y311.26	58	Y320.15WV	46	Y325.10	62	Y333.20	58	Y342.15	58
Y311.26W	40	Y320.20	58	Y325.10W	50	Y333.20M	30	Y342.15M	30
Y312.10	58	Y320.20W	40	Y325.15	62	Y333.20W	40	Y342.15W	40
Y312.10M	30	Y320.20WB	46	Y325.15W	50	Y333.26	58	Y342.20	58
Y312.10W	40	Y320.20WP	46	Y330.05A	66	Y333.26M	30	Y342.20M	30
Y312.13	58	Y320.20WV	46	Y330.10	58	Y333.26W	40	Y342.20W	40
Y312.13M	30	Y320.26	58	Y330.10W	40	Y335.10	62	Y342.26	58
Y312.13W	40	Y320.26W	40	Y330.10WB	46	Y335.10W	50	Y342.26M	30
Y312.15	58	Y320.26WB	46	Y330.10WP	46	Y340.05A	66	Y342.26W	40
Y312.15M	30	Y320.26WP	46	Y330.10WV	46	Y340.08A	66	Y343.10	58
Y312.15W	40	Y320.26WV	46	Y330.15	58	Y340.10	58	Y343.10M	30
Y312.20	58	Y321.08A	66	Y330.15W	40	Y340.10W	40	Y343.10W	40
Y312.20M	30	Y321.10	58	Y330.15WB	46	Y340.10WB	46	Y343.13	58
Y312.20W	40	Y321.10W	40	Y330.15WP	46	Y340.10WP	46	Y343.13M	30
Y312.26	58	Y321.13	58	Y330.15WV	46	Y340.10WV	46	Y343.13W	40
Y312.26M	30	Y321.13W	40	Y330.20	58	Y340.13	58	Y343.15	58
Y312.26W	40	Y321.15	58	Y330.20W	40	Y340.13W	40	Y343.15M	30
Y313.10	58	Y321.15W	40	Y330.20WB	46	Y340.13WB	46	Y343.15W	40
Y313.10M	30	Y321.20	58	Y330.20WP	46	Y340.13WP	46	Y343.20	58
Y313.10W	40	Y321.20W	40	Y330.20WV	46	Y340.13WV	46	Y343.20M	30
Y313.13	58	Y321.26	58	Y330.26	58	Y340.15	58	Y343.20W	40
Y313.13M	30	Y321.26W	40	Y330.26W	40	Y340.15W	40	Y343.26	58
Y313.13W	40	Y322.10	58	Y330.26WB	46	Y340.15WB	46	Y343.26M	30
Y313.15	58	Y322.10M	30	Y330.26WP	46	Y340.15WP	46	Y343.26W	40
Y313.15M	30	Y322.10W	40	Y330.26WV	46	Y340.15WV	46	Y345.10	62
Y313.15W	40	Y322.13	58	Y331.08A	66	Y340.20	58	Y345.10W	50
Y313.20	58	Y322.13M	30	Y331.10	58	Y340.20W	40	Y345.15	62
Y313.20M	30	Y322.13W	40	Y331.10W	40	Y340.20WB	46	Y345.15W	50
Y313.20W	40	Y322.15	58	Y331.15	58	Y340.20WP	46	Y350.05A	66
Y313.26	58	Y322.15M	30	Y331.15W	40	Y340.20WV	46	Y350.08A	66
Y313.26M	30	Y322.15W	40	Y331.20	58	Y340.26	58	Y350.10	58
Y313.26W	40	Y322.20	58	Y331.20W	40	Y340.26W	40	Y350.10W	40
Y315.10	62	Y322.20M	30	Y331.26	58	Y340.26WB	46	Y350.10WB	46
Y315.10W	50	Y322.20W	40	Y331.26W	40	Y340.26WP	46	Y350.10WP	46
Y315.15	62	Y322.26	58	Y332.10	58	Y340.26WV	46	Y350.10WV	46
Y315.15W	50	Y322.26M	30	Y332.10M	30	Y341.08A	66	Y350.13	58
Y320.05A	66	Y322.26W	40	Y332.10W	40	Y341.10	58	Y350.13W	40
Y320.08A	66	Y323.10	58	Y332.15	58	Y341.10W	40	Y350.13WB	46
Y320.10	58	Y323.10M	30	Y332.15M	30	Y341.13	58	Y350.13WP	46

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y350.13WV	46	Y353.20M	30	Y362.13W	40	Y380.10	78	Y400.04A	67
Y350.15	58	Y353.20W	40	Y362.15	58	Y380.10F	78	Y400.05A	67
Y350.15W	40	Y353.26	58	Y362.15M	30	Y380.10FL	78	Y400.06A	67
Y350.15WB	46	Y353.26M	30	Y362.15W	40	Y380.10L	78	Y405.04A	67
Y350.15WP	46	Y353.26W	40	Y362.20	58	Y390.01	84	Y405.07A	67
Y350.15WV	46	Y355.10	62	Y362.20M	30	Y390.01	90	Y405.10A	67
Y350.20	58	Y355.10W	50	Y362.20W	40	Y390.03	90	Y406.04A	67
Y350.20W	40	Y355.15	62	Y362.26	58	Y390.05	90	Y406.07A	67
Y350.20WB	46	Y355.15W	50	Y362.26M	30	Y390.07	90	Y406.10A	67
Y350.20WP	46	Y360.05A	66	Y362.26W	40	Y390.10	90	Y410.04A	67
Y350.20WV	46	Y360.08A	66	Y363.10	58	Y392.01	85	Y410.07A	67
Y350.26	58	Y360.10	58	Y363.10M	30	Y392.01	91	Y410.10A	67
Y350.26W	40	Y360.10W	40	Y363.10W	40	Y392.03	91	Y411.04A	67
Y350.26WB	46	Y360.10WB	46	Y363.13	58	Y392.05	91	Y411.07A	67
Y350.26WP	46	Y360.10WP	46	Y363.13M	30	Y392.07	91	Y411.10A	67
Y350.26WV	46	Y360.10WV	46	Y363.13W	40	Y392.10	91	Y420.04A	67
Y351.08A	66	Y360.13	58	Y363.15	58	Y394.01	86	Y420.07A	67
Y351.10	58	Y360.13W	40	Y363.15M	30	Y394.01	92	Y420.10A	67
Y351.10W	40	Y360.13WB	46	Y363.15W	40	Y394.03	92	Y421.04A	67
Y351.13	58	Y360.13WP	46	Y363.20	58	Y394.05	92	Y421.07A	67
Y351.13W	40	Y360.13WV	46	Y363.20M	30	Y394.07	92	Y421.10A	67
Y351.15	58	Y360.15	58	Y363.20W	40	Y394.10	92	Y430.04A	67
Y351.15W	40	Y360.15W	40	Y363.26	58	Y396.05A	84	Y430.10A	67
Y351.20	58	Y360.15WB	46	Y363.26M	30	Y396.05AL	84	Y431.04A	67
Y351.20W	40	Y360.15WP	46	Y363.26W	40	Y396.05B	85	Y431.10A	67
Y351.26	58	Y360.15WV	46	Y365.10	62	Y396.05BL	85	Y440.04A	67
Y351.26W	40	Y360.20	58	Y365.10W	50	Y396.05C	86	Y440.07A	67
Y352.10	58	Y360.20W	40	Y365.15	62	Y396.05CL	86	Y440.10A	67
Y352.10M	30	Y360.20WB	46	Y365.15W	50	Y396.06A	84	Y441.04A	67
Y352.10W	40	Y360.20WP	46	Y372.10M	30	Y396.06AL	84	Y441.07A	67
Y352.13	58	Y360.20WV	46	Y372.13M	30	Y396.06B	85	Y441.10A	67
Y352.13M	30	Y360.26	58	Y372.15M	30	Y396.06BL	85	Y450.04A	67
Y352.13W	40	Y360.26W	40	Y372.20M	30	Y396.06C	86	Y450.07A	67
Y352.15	58	Y360.26WB	46	Y372.26M	30	Y396.06CL	86	Y450.10A	67
Y352.15M	30	Y360.26WP	46	Y373.10M	30	Y396.07A	84	Y451.04A	67
Y352.15W	40	Y360.26WV	46	Y373.13M	30	Y396.07AL	84	Y451.07A	67
Y352.20	58	Y361.08A	66	Y373.15M	30	Y396.07B	85	Y451.10A	67
Y352.20M	30	Y361.10	58	Y373.20M	30	Y396.07BL	85	Y460.04A	67
Y352.20W	40	Y361.10W	40	Y373.26M	30	Y396.07C	86	Y460.07A	67
Y352.26	58	Y361.13	58	Y380.01	78	Y396.07CL	86	Y460.10A	67
Y352.26M	30	Y361.13W	40	Y380.03	78	Y396.10A	84	Y461.04A	67
Y352.26W	40	Y361.15	58	Y380.03F	78	Y396.10AL	84	Y461.07A	67
Y353.10	58	Y361.15W	40	Y380.03FL	78	Y396.10B	85	Y461.10A	67
Y353.10M	30	Y361.20	58	Y380.03L	78	Y396.10BL	85	Y480.04	79
Y353.10W	40	Y361.20W	40	Y380.05	78	Y396.10C	86	Y480.06	79
Y353.13	58	Y361.26	58	Y380.05F	78	Y396.10CL	86	Y480.20	104
Y353.13M	30	Y361.26W	40	Y380.05FL	78	Y398.03	87	Y480.22	104
Y353.13W	40	Y362.10	58	Y380.05L	78	Y398.05	87	Y480.24	104
Y353.15	58	Y362.10M	30	Y380.07	78	Y398.10	87	Y480.26	104
Y353.15M	30	Y362.10W	40	Y380.07F	78	Y400.01A	67	Y490.05	94
Y353.15W	40	Y362.13	58	Y380.07FL	78	Y400.02A	67	Y492.05	94
Y353.20	58	Y362.13M	30	Y380.07L	78	Y400.03A	67	Y500.01A	68

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y500.01AB	71	Y510.10AP	70	Y540.10AB	70	Y561.10A	68	Y591.03	94
Y500.01AP	71	Y510.10AV	70	Y540.10AP	70	Y561.13A	68	Y591.07	94
Y500.01AV	71	Y510.13A	68	Y540.10AV	70	Y565.05A	69	Y591.08	94
Y500.02A	68	Y510.13AB	70	Y540.13A	68	Y565.06A	69	Y591.09	94
Y500.02AB	71	Y510.13AP	70	Y540.13AB	70	Y580.05	79	Y600.01	75
Y500.02AP	71	Y510.13AV	70	Y540.13AP	70	Y580.10	79	Y600.02	75
Y500.02AV	71	Y511.04A	68	Y540.13AV	70	Y580.20	80	Y610.06	74
Y500.03A	68	Y511.06A	68	Y541.04A	68	Y580.21	80	Y612.07	74
Y500.03AB	71	Y511.08A	68	Y541.06A	68	Y580.22	80	Y620.06	74
Y500.03AP	71	Y511.10A	68	Y541.08A	68	Y580.23	80	Y622.07	74
Y500.03AV	71	Y511.13A	68	Y541.10A	68	Y580.24	80	Y630.06	74
Y500.04A	68	Y515.05A	69	Y541.13A	68	Y580.25	80	Y640.06	74
Y500.04AB	71	Y515.06A	69	Y545.05A	69	Y580.30	80	Y642.07	74
Y500.04AP	71	Y520.04A	68	Y545.06A	69	Y580.31	80	Y650.06	74
Y500.04AV	71	Y520.06A	68	Y550.04A	68	Y580.32	80	Y652.07	74
Y500.05A	68	Y520.08A	68	Y550.06A	68	Y580.33	80	Y660.06	74
Y500.05AB	71	Y520.08AB	70	Y550.08A	68	Y580.34	80	Y662.07	74
Y500.05AP	71	Y520.08AP	70	Y550.08AB	70	Y580.35	80	Y690.02	93
Y500.05AV	71	Y520.08AV	70	Y550.08AP	70	Y581.20	80	Y690.03	93
Y500.06A	68	Y520.10A	68	Y550.08AV	70	Y581.21	80	Y690.04	93
Y500.06AB	71	Y520.10AB	70	Y550.10A	68	Y581.22	80	Y690.05	93
Y500.06AP	71	Y520.10AP	70	Y550.10AB	70	Y581.23	80	Y690.06	93
Y500.06AV	71	Y520.10AV	70	Y550.10AP	70	Y581.24	80	Y691.02	93
Y501.01A	69	Y520.13A	68	Y550.10AV	70	Y581.25	80	Y691.03	93
Y501.02A	69	Y520.13AB	70	Y550.13A	68	Y581.26	80	Y691.04	93
Y501.03A	69	Y520.13AP	70	Y550.13AB	70	Y581.27	80	Y691.05	93
Y501.04A	69	Y520.13AV	70	Y550.13AP	70	Y581.28	80	Y693.02	95
Y501.05A	69	Y521.04A	68	Y550.13AV	70	Y581.40	81	Y693.04	95
Y501.06A	69	Y521.06A	68	Y551.04A	68	Y581.41	81	Y695.00	79
Y505.04A	68	Y521.08A	68	Y551.06A	68	Y581.42	81	Y695.03	79
Y505.06A	68	Y521.10A	68	Y551.08A	68	Y581.43	81	Y696.00	79
Y505.08A	68	Y521.13A	68	Y551.10A	68	Y581.44	81	Y696.03	79
Y505.08A	71	Y525.05A	69	Y551.13A	68	Y581.45	81	Y800.00	99
Y505.10A	68	Y525.06A	69	Y555.05A	69	Y581.46	81	Y800.10	99
Y505.10A	71	Y530.04A	68	Y555.06A	69	Y581.47	81	Y802.00	99
Y505.13A	68	Y530.08A	68	Y560.04A	68	Y581.48	81	Y802.10	99
Y505.13A	71	Y530.08AB	70	Y560.06A	68	Y581.49	81	Y803.00	99
Y506.04A	68	Y530.08AP	70	Y560.08A	68	Y581.50	81	Y803.10	99
Y506.06A	68	Y530.08AV	70	Y560.08AB	70	Y581.51	81	Y805.11	98
Y506.08A	68	Y530.13AB	70	Y560.08AP	70	Y581.52	81	Y805.20	98
Y506.10A	68	Y530.13AP	70	Y560.08AV	70	Y581.53	81	Y808.00	98
Y506.13A	68	Y530.13AV	70	Y560.10A	68	Y590.01	87	Y809.00	98
Y508.05A	69	Y531.04A	68	Y560.10AB	70	Y590.03	87	Y810.00	99
Y508.06A	69	Y531.08A	68	Y560.10AP	70	Y590.04	87	Y810.01	99
Y510.04A	68	Y535.05A	69	Y560.10AV	70	Y590.05	87	Y812.00	99
Y510.06A	68	Y540.04A	68	Y560.13A	68	Y590.06	87	Y819.00	98
Y510.08A	68	Y540.06A	68	Y560.13AB	70	Y590.07	87	Y819.01	98
Y510.08AB	70	Y540.08A	68	Y560.13AP	70	Y590.08	87	Y820.11	99
Y510.08AP	70	Y540.08AB	70	Y560.13AV	70	Y590.10	87	Y820.11M	99
Y510.08AV	70	Y540.08AP	70	Y561.04A	68	Y590.12	94	Y820.12	99
Y510.10A	68	Y540.08AV	70	Y561.06A	68	Y590.13	94	Y820.12M	99
Y510.10AB	70	Y540.10A	68	Y561.08A	68	Y591.01	94	Y820.13	99

Code	Page	Code	Page
Y820.13M	99	Y857.71P	102
Y820.14	99	Y857.72P	102
Y820.14M	99	Y857.73	102
Y820.15	99	Y857.74	102
Y820.15M	99	Y857.75	102
Y820.16	99	Y857.76	102
Y820.16M	99	Y857.80	102
Y835.00	78	Y857.83	102
Y843.04	101	Y857.85	102
Y843.06	101	Y857.90	103
Y843.08	101	Y857.91	103
Y843.09	101	Y857.92	103
Y844.01	105	Y857.93	103
Y844.02	105	Y857.94	103
Y844.03	105	Y857.95	103
Y844.04	105	Y858.00	101
Y844.11	105	Y858.03	101
Y844.12	105	Y858.04	101
Y844.13	105	Y859.00	101
Y844.14	105	Y859.04	101
Y850.11	100	Y859.06	101
Y852.01	100	Y859.07	101
Y852.11	100		
Y852.21	100		
Y852.31	100		
Y853.11	100		
Y853.21	100		
Y853.31	100		
Y853.51	100		
Y857.01	101		
Y857.01	101		
Y857.03	101		
Y857.03	101		
Y857.10	102		
Y857.13	102		
Y857.15	102		
Y857.20	102		
Y857.23	102		
Y857.25	102		
Y857.30	102		
Y 857.33	102		
Y857.35	102		
Y857.40	103		
Y857.41	103		
Y857.42	103		
Y857.43	103		
Y857.44	103		
Y857.45	103		
Y857.47	103		
Y857.70	102		
Y857.70P	102		
Y857.71	102		